

## Frequently Asked Questions Iwi-Māori Partnership Boards Health Profiles

*As at 14 December 2023*

### Who are the health profiles designed for?

The health profiles have been prepared for the 15 formally recognised iwi-Māori partnership boards (IMPBs). The profiles present statistical information in a format that is easy to read and review.

- Te Taumata Hauora Te Kahu o Taonui
- Ngaa Pou Hauora oo Taamaki Makaurau
- Te Tiratū
- Te Moana a Toi
- Tairāwhiti Toitū Te Ora
- Te Taura Ora o Waiariki
- Tūwharetoa
- Te Punanga Ora
- Te Mātuku
- Tihei Tākitimu
- Te Pae Oranga o Ruahine o Tararua
- Te Karu o te Ika Poari Hauora
- Ātiawa Toa
- Te Kāhui Hauora o Te Tau Ihu
- Te Tauraki.

### What are the profiles used for?

They are designed to help show the differences in health (or factors that affect health) specific to the regions of the IMPBs.

The data presented in Volume One is a starting point for the IMPBs to interpret, together with other sources of information to support a response to the needs and rights of whānau within each IMPB rohe (region).

### Why are the health profiles focussed on these areas?

The data provided in the health profiles focus on data related to the rohe of each IMPB. They provide key population demographic data, indicators reflecting key socio-economic determinants of wellbeing, health status and health services indicators specific to the regions of the 15 IMPBs.

### What are the data sources for Volume One?

The main data sources for Volume One are:

- The 2018 Census of Population and Dwellings
- Te Kupenga 2018 (the Māori Social Survey)
- Mortality registrations
- Te Whatu Ora Primary Care Enrolment data

### Are more profiles planned?

Volume Two will be delivered in early 2024 and will look at health service use and outcomes measures, with a focus on the four health priority areas identified in the 2022 Te Aka Whai Ora Māori Health Priorities Report: the first 1,000 days, cancer, long-term conditions, and mental health and addiction.

### How many Iwi-Māori Partnership Boards are there?

Fifteen IMPBs are empowered by the [Pae Ora \(Healthy Futures\) Act 2022](#) to bring a whānau voice to the design and delivery of healthcare services. They are the realisation of a placed-based dynamic where communities and whānau have a voice for innovative and effective health solutions.

## Key messages – Minister of Health

### Iwi-Māori Partnership Boards Health Profiles

*As at 14 December 2023*

Under the [Pae Ora \(Healthy Futures\) Act 2022](#) Te Aka Whai Ora | Māori Health Authority and Te Whatu Ora | Health New Zealand support the iwi-Māori partnership boards (IMPBs) to achieve their purpose; support includes providing administration, analytics, insights and data which contribute to improved services and more efficient solutions.

IMPBs are empowered by the [Pae Ora \(Healthy Futures\) Act 2022](#) to bring a whānau voice to the design and delivery of healthcare services, including surfacing issues and inequities and how the sector is performing overall, to meet those aspirations. They are the realisation of a placed-based dynamic where communities and whānau have a voice for innovative and effective health solutions.

The IMPBs Health Profiles are a commitment to providing health information that informs priorities and actions. In producing the profiles Te Aka Whai Ora was supported by Te Whatu Ora, providing a baseline snapshot of the health of Māori in their rohe (region).

These reports are the first reports which focus on data related to the rohe of each IMPB. They focus on key population demographic data, indicators reflecting key socio-economic determinants of wellbeing, health status and health services indicators.

Two volumes of the profiles will be delivered to the IMPBs, with the first release in December 2023.

Volume One profiles contain key demographic data and projections, overall life expectancy and health outcomes measures, and indicators relating to whānau wellbeing and socio-economic and environmental determinants of wellbeing.

The data in the reports have been routinely collected by national government health datasets and routine national surveys.

- The 2018 Census of Population and Dwellings
- Te Kupenga 2018 (the Māori Social Survey)
- Mortality registrations
- Te Whatu Ora Primary Care Enrolment data


The data presented in Volume One is a starting point for the IMPBs to interpret, together with other sources of information to support a response to the needs and rights of whānau within each IMPB rohe (region).

The profiles are intended to be used in conjunction with other sources of publicly available health system reporting by the Ministry of Health, Te Whatu Ora, the Health Quality and Safety Commission, Statistics New Zealand, and other agencies.



# Iwi-Māori Partnership Board Health Profile: Ngāa Pou Hauora oo Taamaki Makaurau

Volume One





# Iwi-Māori Partnership Board Health Profile: Nga Pou Hauora oo Taamaki Makaurau Volume One

Recommended citation: Curtis, E., Loring, B., Walker, R., Pearse, T., Gilbert-Perenise, S., Gray, G., Akuhata-Huntington, Z., Latham, K., Kiriona, K. (2023). *Iwi-Māori Partnership Board Health Profile: Nga Pou Hauora oo Taamaki Makaurau. Volume One*. Te Aka Whai Ora - Māori Health Authority; Auckland.

15<sup>th</sup> December 2023

ISBN - 978-1-991286-01-7

---

# Ngā kupu whakamihi

## Acknowledgements

*Toitū te mauri nui*

*Toitū te mauri roa*

*Toitū te mauri ora*

*Tīhei Te Aka Whai Ora e!*

*Kei ngā whakatiketike ki te rangi, kei ngā whakatamarahi ki te whenua, koutou e kōkiri ana i te Pae Ora nō roto mai i te oranga nui, te oranga roa o ō tātou whānau, hapū, iwi puta i Aotearoa whānui – tēnā koutou!*

*E pēnei ana te nui, me te hari o ngā mihi ki a koutou e ngā kaiwhakairo i te tauranga Hauora Māori kia pai ai te whakatakoto kupu mō tā tātou kaupapa, mō Te Aka Whai Ora.*

*Kāore e āriarika nei ngā mihi nui ki a koutou – huri noa, tēnā koutou, tēnā koutou, tēnā tātou katoa.*

# Ngā kupu whakamihi - Acknowledgements

Many people have contributed their time and expertise to the Iwi-Māori Partnership Board health profiles.

These profiles have been written by Elana Curtis, Belinda Loring, Rhiannon Walker, Tyla Pearse, Sade Gilbert-Perenise, George Gray, with overall leadership and direction provided by Zaine Akuhata-Huntington, Kadin Latham and Kingi Kiriona. This work has been supported by a wider team at Te Aka Whai Ora, including Nigel Chee, Paula Searle, Teei Kaiaruna, Riki Kyle, Yahp Jasperse, Swathy Babu Kathanaparambil, Ngarangi Williams, Michele Bristow, Ngarangi Katipa, TeMatetahuna Paki, and Raniera Albert.

We thank Doone Winnard, Delwyn Armstrong and Gary Jackson at Te Whatu Ora for their leadership and support with data quality assurance.

We are also very grateful to the following people who assisted us to obtain and analyse data: Sydney Kingstone, Mildred (Ai Wei) Lee, Michael Walsh, Dean Papaconstantinou; Liam Gray from Statistics New Zealand; and Kirk Paterson from Manatū Hauora.

Shelley Cousins from RUN developed the document template and graphic design.

We would like to thank Suzanne Pitama and Reigna Morgan for providing helpful peer review of earlier drafts.

We acknowledge the leadership of Bridget Robson and colleagues at Te Rōpū Rangahau Hauora a Eru Pōmare, University of Otago Wellington, whose earlier work on the 2015 District Health Board Māori Health Profiles was used as a basis for these Iwi-Māori Partnership Board profiles.





---

# Te kupu takamua

## Foreword

Proactively Released





# Te kupu takamua - Foreword

We are extremely pleased to present this report that provides the most up-to-date snapshot of Māori health for the newly formed Iwi-Māori Partnership Boards.

In doing so, we acknowledge the legacy of work associated with Māori-led health data reporting to date – from the seminal *Hauora* series to *Tatau Kahukura* and the *2015 District Health Board Māori Health Profiles*, this report continues the commitment to excellence that Māori communities and whānau both need and deserve.

Iwi-Māori Partnership Boards were created under the Pae Ora (Healthy Futures) Act 2022 to provide a vehicle for local feedback and leadership on how the health sector is performing to meet the needs and aspirations of whānau in their area. Iwi-Māori Partnership Boards have a pivotal role to play in determining how health services and public health interventions should be designed and delivered.

Te Aka Whai Ora welcomes the contribution of each Iwi-Māori Partnership Board to use the data presented in these reports to understand what issues are important to them and what response(s) are needed to ensure their tino rangatiratanga and mana motuhake over their health and wellbeing are being realised. The data presented in this profile require contextualisation - they are a starting point for Iwi-Māori Partnership Boards to interpret, together with other sources of information, and decide how best to respond to the needs (and rights) of the whānau within their rohe.

This report represents the first wave of analysis (Volume One). This volume includes key demographic information, mauri ora (overall health status), whānau ora (healthy families) and wai ora (healthy environments) indicators specific to each Iwi-Māori Partnership Board. A second volume with additional indicators focused on Te Aka Whai Ora-identified health priority areas (e.g. cancer, long-term conditions, first 1,000 days and mental health) will be released early in 2024.

The data presented within these profiles are a dimension of 'whānau voice'. They represent Māori stories and Māori lived experience and should be valued as a taonga for the health system to use and respond to as part of the broader commitment to Te Tiriti o Waitangi and equity.

We are extremely humbled by the sacrifices that have been made by our people: externally, as Iwi-Māori Partnership Boards have been established, and within the organisation, to produce this output in such a short time-frame since our establishment as an entity in July 2022.

We thank our partners who have contributed to this report and hope that this commitment to excellence in Māori health continues - mō āke tonu atu.

Ngā mihi,



**Tipa Mahuta**

*Waikato, Maniapoto, Ngāpuhi*

Te Kaihautū (Chair)



**Riana Manuel**

*Ngāti Pukenga, Ngāti Maru, Ngāti Kahungunu*

Te Aka Matua (Chief Executive)



---

# Te ihirangi

## Contents

Proactively Released

The background features a purple-to-pink gradient. Overlaid on this are several white line-art patterns. On the right side, there are several curved, parallel lines that sweep upwards. On the left side, there are more intricate, swirling patterns that resemble stylized waves or floral motifs.

# Te ihirangi - Table of Contents

Ngā kupu whakamihi - Acknowledgements.....	4
Te kupu takamua - Foreword.....	6
Te ihirangi - Table of Contents.....	8
List of Tables.....	10
List of Figures.....	12
List of Abbreviations, Acronyms & Initialisms.....	13
Māori Glossary.....	14
1. Te kupu whakataki - Introduction.....	16
1.1. Overview of Iwi-Māori Partnership Boards.....	16
1.2. Purpose & audience for this report.....	18
1.3. Positioning.....	18
1.4. Understanding Māori health and health inequities.....	18
1.5. Scope for these profiles.....	20
1.6. Data sources.....	22
1.7. How to understand this report.....	22
2. Ngā tatauranga taupori matua - Key demographics.....	24
2.1. About Ngāa Pou Hauora oo Taamaki Makaurau.....	24
3. Mauri ora - overall health status.....	28
3.1. Life Expectancy.....	28
3.2. Self-assessed health.....	29
3.3. Mortality.....	30
4. Whānau ora - Healthy families.....	36
5. Wai ora – Healthy environments.....	41
5.1. Education.....	41
5.2. Work.....	42
5.3. Income and standard of living.....	46
5.4. Housing.....	48
5.5. Primary Care Enrolment.....	49
Appendix 1: IMPB Māori population projections.....	51
Appendix 2: Technical notes.....	58
1. Explanation of statistical terms used in this report.....	58
95% confidence interval.....	58

Age standardisation.....	59
Rate ratios.....	60
Rate difference.....	61
2. Key methods and quality limitations of key data sources.....	62
Numerators.....	62
Denominators.....	62
Ethnicity data.....	62
Age-standardised and crude rates.....	63
Confidence intervals.....	63
Rate ratios.....	63
Demography data.....	64
The Census of Population and Dwellings.....	64
Geographical alignment between IMPB and DHB areas.....	66
Life expectancy.....	67
Mortality data.....	67
Te Kupenga Survey.....	67
Primary care enrolment.....	68
NZ Index of Deprivation 2018.....	68
Geographic Classification of Health.....	68
Appendix 3: ICD-10-AM Codes.....	69
Appendix 4: Māori 2001 Population.....	71
Te rārangī tohutoro - References.....	73





# List of Tables

Table 1 - Population estimate by age group, Ngaa Pou Hauora oo Taamaki Makaurau, 2023 .....	25
Table 2 - Population projections, Ngaa Pou Hauora oo Taamaki Makaurau, 2023 to 2043.....	25
Table 3 - Life expectancy at birth, Ngaa Pou Hauora oo Taamaki Makaurau, Māori and non-Māori, 2018 to 2022 .....	28
Table 4 - Decomposition of the ethnic gap in life expectancy by avoidable category - Māori compared with non-Māori/non-Pacific, 2018 to 2020, Northern Region .....	29
Table 5 - Health status reported by Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau, 2018 .....	29
Table 6 - Leading causes of death for Māori, all ages, Counties Manukau DHB, 2014 to 2018 .....	30
Table 7 - Leading causes of death for Māori, all ages, Aotearoa, 2014 to 2018.....	31
Table 8 - All-cause deaths, all ages, Counties Manukau DHB, 2014 to 2018.....	31
Table 9 - Potentially avoidable deaths, ages 0-74 years, Counties Manukau DHB, 2014 to 2018.....	32
Table 10 - Leading causes of potentially avoidable deaths, ages 0-74 years, Counties Manukau DHB, 2014 to 2018 .....	33
Table 11 - Leading causes of potentially avoidable mortality, ages 0-74 years, Aotearoa, 2014 to 2018 .....	34
Table 12 - Whānau well-being reported by Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018 .....	36
Table 13 - Whānau composition reported by Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau, 2018 .....	37
Table 14 - Access to whānau support, Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018.....	37
Table 15 - Importance of Māori culture and spirituality, Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018.....	38
Table 16 - Use of te reo Māori in the home, Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018 .....	38
Table 17 - Access to marae, Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018.....	39
Table 18 - Māori aged 15 years and over who took part in traditional healing or massage in last 12 months, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018.....	39
Table 19 - Adults aged 20 years and over with a Level 2 Certificate or higher, Counties Manukau DHB, 2018 .....	41
Table 20 - Labour force status, 15 years and over, Counties Manukau DHB, 2018 .....	42
Table 21 - Leading industries in which Māori were employed, Counties Manukau DHB, 2018 .....	43
Table 22 - Leading occupations in which Māori were employed, Counties Manukau DHB, 2018.....	44
Table 23 - Unpaid work, 15 years and over, Counties Manukau DHB, 2018.....	45



Table 24 - Unmet needs reported by Māori aged 15 years and over to keep costs down in the last 12 months, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018.....	46
Table 25 - People 20 years and over whose total annual personal income in \$20,000 or less, Counties Manukau DHB, 2018 .....	47
Table 26 - People with no access to a motor vehicle, Counties Manukau DHB, 2018.....	47
Table 27 - People with no access to telecommunications, Counties Manukau DHB, 2018 .....	47
Table 28 - Housing tenure, 20 years and over, Counties Manukau DHB, 2018 .....	48
Table 29 - People living in crowded households (requiring at least one more bedroom), Counties Manukau DHB, 2018 .....	48
Table 30 - People experiencing housing quality issues sometimes or always, Counties Manukau DHB, 2018 .....	48
Table 31 - People living in households where there is no source of heating, Counties Manukau DHB, 2018 .....	49
Table 32 - People enrolled with primary care, Counties Manukau DHB, October 2023.....	49
Table 33 - Māori population projections, single year, Counties Manukau DHB, by 5-year age band, 2018 to 2043 .....	51
Table 34 - Quality ratings 2018 Census variables included in this report .....	65
Table 35 - ICD-10-AM codes used for potentially avoidable mortality .....	69
Table 36 - 2001 Census total Māori population.....	71



# List of Figures

Figure 1 - Map of Iwi-Māori Partnership Board areas.....	17
Figure 2 - Te Kupenga Hauora Māori modified model for explaining Indigenous/ethnic determinants of health .....	19
Figure 3 - Map of Ngaa Pou Hauora oo Taamaki Makaurau IMPB with DHB boundaries, 2023 .....	24
Figure 4 - Population distribution by urban and rural classification, Counties Manukau DHB, 2023 .....	26
Figure 5 - NZDep2018 distribution of Māori and non-Māori by decile, Counties Manukau DHB, 2018..	46



## List of Abbreviations, Acronyms & Initialisms

ANZSCO	Australian and New Zealand Standard Classification of Occupations
ANZSIC	Australian and New Zealand Standard Industrial Classification
Av	Average
CI	Confidence Intervals
COPD	Chronic Obstructive Pulmonary Disease
DHB	District Health Board
ERP	Estimated resident population
GCH	Geographic Classification for Health
ICD-10-AM	International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification
IMPB	Iwi-Māori Partnership Board
NHI	National Health Index
No	Number
NZ	Aotearoa/New Zealand
NZDep2018	New Zealand Index of Deprivation 2018
PHO	Primary Health Organisation
RR	Rate ratio
SA1	Statistical Area Level 1
SA2	Statistical Area Level 2
StatsNZ	Statistics New Zealand
TKHM	Te Kupenga Hauora Māori
UR	Usually resident
WHO	World Health Organization



# Māori Glossary

Aotearoa	New Zealand
Hāpori Māori	Māori communities
Hauora Māori	Māori health
Hui	Meeting, gathering
Iwi	Tribe
Kaupapa Māori	Māori initiative, approach, topic, agenda, principle, ideology
Manatū Hauora	Ministry of Health
Māori	Indigenous people(s) of Aotearoa New Zealand
Marae	Complex of buildings significant to Māori, may include, but not limited to, wharenuī, wharekai, and urupā
Mauri ora	Overall health status
Mō āke tonu atu	Forever
Ngā āpitihanga	Appendices
Ngā kupu whakamihi	Acknowledgements
Ngā mihi	Greetings
Ngā tatauranga taupori matua	Key demographics
Pae ora	Healthy futures
Rohe	Region
Tangi	Funeral, mourning
Taonga	Treasure
Tatau Kahukura	Māori Health Chartbook 2015
Te Aka Whai Ora	Māori Health Authority
Te ihirangi	Contents
Te Kupenga Hauora Māori	Department of Māori Health, Faculty of Medical and Health Sciences, The University of Auckland
Te kupu takamua	Foreword
Te kupu whakataki	Introduction
Te rārangi tohutoro	References
Te Rōpū Rangahau Hauora a Eru Pōmare	Eru Pomare Māori Health Research Centre, The University of Otago
Te Tiriti o Waitangi	Treaty of Waitangi
Te Whatu Ora	Health New Zealand
Wai ora	Healthy environments
Whakamaua	Māori Health Action Plan: 2020-2025
Whānau	Family
Whānau ora	Healthy families

---

# Te kupu whakataki

## Introduction

Proactively Released



# 1. Te kupu whakataki - Introduction

## 1.1. Overview of Iwi-Māori Partnership Boards

One of the three purposes of the Pae Ora (Healthy Futures) Act 2022 (Pae Ora) is to “achieve equity in health outcomes among New Zealand’s (NZ) population groups, including by striving to eliminate health disparities, in particular for Māori”. Iwi-Māori Partnership Boards (IMPBs) are an important legislated mechanism for the Crown to give effect to the principles of Te Tiriti o Waitangi (the Treaty of Waitangi). The Pae Ora Act requires Health New Zealand (Te Whatu Ora) and the Māori Health Authority (Te Aka Whai Ora) to engage with IMPBs.

The purpose of IMPBs is to represent local Māori perspectives on:

- a) the needs and aspirations of Māori in relation to hauora Māori outcomes; and
- b) how the health sector is performing in relation to those needs and aspirations; and
- c) the design and delivery of services and public health interventions within localities.

The Pae Ora Act sets out the criteria for recognition of an organisation as an IMPB. The criteria ensure the Boards are broadly representative of all Māori within the relevant area and include;

- a) that the proposed boundaries of the area covered by the organisation do not overlap with the boundaries of any area covered by any other IMPB;
- b) that the organisation has taken reasonable steps to engage with relevant Māori communities and groups; and
- c) the organisation must demonstrate that it has the capacity and capability to perform the necessary functions of IMPBs as set out in the Act, and that the organisation can represent and be accountable to hāpori Māori (Māori communities).

Once the Board of Te Aka Whai Ora is satisfied that an organisation has met the criteria for recognition, they advise the Minister of Health who then recommends the making of an Order in Council so that the organisation can be listed as an IMPB (under Schedule 4 of the Pae Ora Act). On the advice of the Te Aka Whai Ora Board, the Minister of Health can also recommend an Order in Council to vary or remove an IMPB from Schedule 4 of the Pae Ora Act. An important feature of IMPBs is that they can renegotiate boundaries between each other as and when works for the collective. Such is the case for any emerging organisation who must consult with neighbouring IMPBs should their intended boundary result in overlap. This ensures the self-determination of communities, and strategic alignment with community need.

As at July 2023, 15 IMPBs were listed in Schedule 4, as shown in Figure 1.



Figure 1 - Map of Iwi-Māori Partnership Board areas





## 1.2. Purpose & audience for this report

Under the Pae Ora Act, Te Aka Whai Ora must take reasonable steps to support IMPBs to achieve their purpose, including by providing administrative, analytical, or financial support where needed; and providing sufficient and timely information. These data profiles have been prepared for each IMPB formed in 2023, as part of a commitment by Te Aka Whai Ora to provide IMPBs with health information to inform priorities and actions.

Te Aka Whai Ora has produced these profiles, together with support from Te Whatu Ora, to provide IMPBs with a baseline snapshot of the health of Māori in their rohe (region). These profiles are limited to the data sources and indicators currently available in the government health system, and may not capture all aspects of hauora Māori, determinants of wellbeing, or government responsibility.

## 1.3. Positioning

This profile has been drafted from a Kaupapa Māori research and epidemiology positioning (Simmonds, Robson et al. 2008). This positioning includes:

- a commitment to high quality ethnicity data reporting and analysis (that includes understanding how ethnicity data are collected and recorded and the implications of these factors on data quality from various sources);
- a commitment to using appropriate comparator groupings (or not) within ethnic data comparisons (that reflect Te Tiriti o Waitangi/rights-based and equity appropriate interpretations) (Harris, Paine et al. 2022), and;
- a strengths-based interpretation of data that rejects 'victim-blame' or 'cultural-deficit' interpretations of any data presented (Curtis 2016).

It is important to note that the identification of inequities between Māori and non-Māori is not a signal of Māori failure or shortcomings. Rather, a Kaupapa Māori positioning foregrounds racism, privilege and power imbalances as the fundamental drivers of ethnic inequities in health for Māori compared to non-Māori (Curtis, Jones et al. 2023).

The data presented in this profile require contextualisation - they are a starting point for IMPBs to interpret, together with other sources of information, and decide how best to respond to the needs (and rights) of their specific population. Although quantitative in nature, the data presented within these profiles are a dimension of 'whānau voice'. They represent Māori stories and Māori lived experience and should be valued as a taonga for the health system to use and respond to as part of the broader commitment to Te Tiriti o Waitangi and equity.

## 1.4. Understanding Māori health and health inequities

It is important to have a common understanding on what the fundamental drivers of Māori health and health inequities are in order to respond appropriately. A helpful framework is the 'Te Kupenga Hauora Māori (TKHM) modified model' (Curtis, Jones et al. 2023) - a Māori model that draws upon international theorisation on the causation of ethnic health inequities (Figure 2). The TKHM modified model outlines a framework to understand the causes of Māori:non-Māori health inequities within an Aotearoa and Indigenous specific context.


The framework emphasises the importance of distinguishing *basic* causes from *surface* (or intervening causes). Overall, changes in *basic* causes create important changes in health *outcomes*. *Social status* categories are created, and reinforced, by *basic* causes. *Social status* categories considered to have particular relevance to Māori health outcomes include: *ethnicity, socio-economic status, gender, age, and poor health status*. In the TKHM modified model, *surface causes* represent a number of intervening

mechanisms that link *social status* categories such as *ethnicity*, to *health outcomes*. Important intervening mechanisms include: *stress*, *socio-economic opportunities*, *societal resources*, *health services* and *social transmission*. *Health outcomes* reflect the mechanisms by which differences in health status and therefore health inequities are observed or measured. For example, health can vary with respect to *morbidity* (ill health), *mortality* (death rates), presence or absence of *disability*, *mental health* and generalised *wellbeing*.

The TKHM modified model foregrounds colonisation as a key determinant of health inequities underpinning all levels from *basic* to *surface* causes. In doing so, the model acknowledges the historical trauma of colonisation whilst also foregrounding the ongoing contemporary effects of colonisation in today's society. It is not a simple, unidirectional relationship between causes at different levels - but rather there is a dynamic interplay between causes and pathways. Worldviews and positioning are also a basic cause, and privilege alongside racism plays a causative role in Māori health inequities.

Explanations define solutions. Therefore, a conceptual framework can support the understanding of fundamental causes of Indigenous and Māori health inequities and how best to respond to those inequities once they have been identified. Many of the routine data that are collected and reported in Aotearoa, including in this report, focus on the downstream surface causes. It is important to understand that many of these indicators are outcomes/consequences of structural processes of marginalisation that we do not properly measure, and that intervention needs to occur upstream to achieve health equity for Māori.

**Figure 2 - Te Kupenga Hauora Māori modified model for explaining Indigenous/ethnic determinants of health**



Source: Curtis, Jones et al. 2023

## 1.5. Scope for these profiles

These profiles are the first reports which specifically focus on data related to IMPBs. These profiles focus on key population demographic data, indicators reflecting key socio-economic determinants of wellbeing, health status and health services indicators. Not every health issue or determinant is included. These IMPB profiles are presented in two volumes:

- Volume One - contains key demographic data and projections, overall life expectancy and health outcomes measures, and indicators relating to whānau wellbeing and socio-economic and environmental determinants of wellbeing.
- Volume Two - contains health service utilisation and outcomes measures, with a focus on the four health priority areas identified in the 2022 Te Aka Whai Ora Māori Health Priorities Report (Curtis E, Loring B et al. 2022): the first 1000 days, cancer, long term conditions, and mental health & addiction.

These reports are by no means exhaustive, and IMPBs may wish to also refer to other sources of information available through respective government agencies for more in-depth data related to areas such as education, social development, environment, employment or housing. We are limited to currently available data, which may not reflect all indicators of importance to IMPBs, and not all data (for example, on uncommon health conditions) can be meaningfully disaggregated by ethnicity to the level of IMPBs. These IMPB profiles are intended to be used in conjunction with other sources of publicly available health system reporting by the Ministry of Health, Te Whatu Ora, the Health Quality and Safety Commission, Statistics New Zealand (StatsNZ) and other agencies.

There have also been a number of previous sources of reporting specifically on Māori health, which IMPBs may wish to refer to for additional information relevant to their area, including trends over time. Some of these key sources include:

- **Whakamaua Dashboard<sup>1</sup>**

This online dashboard presents quantitative measures which assess system performance against the four objectives of Whakamaua: Māori Health Action Plan 2020-2025. From 2023, the Whakamaua dashboard contains some indicators disaggregated by Iwi-Māori Partnership Boards (IMPB). These data for IMPBs use the Health Service Utilisation population as the denominator, which differs slightly from the Census population denominator chosen in these IMPB profiles. The Whakamaua dashboard compares Māori data to non-Māori non-Pacific data.

- **WAI 2575 Māori Health Trends Report<sup>2</sup>**

This report was compiled by the Ministry of Health in 2019, to inform the Wai 2575 Health Services and Outcomes Kaupapa Inquiry (Wai 2575). The report shows changes of Māori health over the years 1990-2015. Most data are presented at a national level, for Māori compared to non-Māori, and Māori compared to non-Māori non-Pacific, although some variables are available at a District Health Board (DHB) level.

---

<sup>1</sup> <https://minhealthnz.shinyapps.io/WhakamauaDashboard/>

<sup>2</sup> <https://www.health.govt.nz/publication/wai-2575-maori-health-trends-report>

- **A Window on the Quality of Aotearoa New Zealand's Health Care 2019 - a view on Māori health equity<sup>3</sup>**

A Window on the Quality of Aotearoa New Zealand's Health Care 2019 - a view on Māori health equity was compiled by the Health Quality & Safety Commission and highlights a number of areas where change is needed in the health system. The report is divided into three chapters. The first analyses inequity between how Māori and non-Māori access and receive health services, and the effects on equity of improvement activities in our system. The second chapter asks why these inequities exist, and the third chapter addresses opportunities for improvement.

- **2015 District Health Board Māori Health Profiles<sup>4</sup>**

The 2015 District Health Board Māori Health Profiles were produced by Te Rōpū Rangahau Hauora a Eru Pōmare at the University of Otago in Wellington. The District Health Board Māori Health Profiles present a snapshot of Māori health compared with non-Māori across a range of health and disability-related indicators. They can create a picture of the health status of a DHB's population at a given time and allow some comparison of trends over time. The profiles are available as word and pdf documents, and Excel tables containing data from the profiles together with national rates for most indicators.

- **Tatau Kahukura: Māori health statistics<sup>5</sup>**

Statistical profiles on Māori health compiled by the Ministry of Health, most recently completed in 2015. Presents Māori compared to non-Māori national level data for a range of health indicators (socio-economic determinants, risk factors, health services and health outcomes), and data are age-standardised to the 2001 Māori population.

- **Hauora: Māori Standards of Health IV: A study of the years 2000-2005<sup>6</sup>**

Hauora: Māori Standards of Health IV, published in 2007, is the most recent edition in the Hauora series, produced by Te Rōpū Rangahau Hauora a Eru Pōmare, and covers the period 2000 to 2005. Careful consideration has been given to the manner in which evidence has been presented and the commentaries are rightly written from Māori perspectives. The first three chapters situate health statistics within the broader context, including the theoretical, demographic and socio-economic contexts. This is followed by chapters on mortality, public hospitalisations, cancer and mental health. This volume of Hauora also includes a number of topic-based chapters from invited authors, including chapters on cardiovascular disease; diabetes; respiratory disease; oral health; disability; sleep problems; occupational safety and health; health in prisons; and the National Primary Medical Care Survey.

To maximise consistency and make it easier for IMPBs to assess how various indicators in their rohe are tracking over time, we have endeavoured to replicate the scope and approach taken in the 2015 District Health Board Māori Health Profiles as closely as possible. There are some minor variations in statistical methods, definitions and geographical boundaries for some indicators, which mean that exact comparison with these earlier profiles is not always possible.

---

<sup>3</sup><https://www.hqsc.govt.nz/resources/resource-library/a-window-on-the-quality-of-aotearoa-new-zealands-health-care-2019-a-view-on-maori-health-equity-2/>

<sup>4</sup><https://www.health.govt.nz/publication/dhb-maori-health-profiles>

<sup>5</sup><https://www.health.govt.nz/our-work/populations/maori-health/tatau-kahukura-maori-health-statistics>

<sup>6</sup><https://www.otago.ac.nz/wellington/departments/publichealth/research-groups-in-the-department-of-public-health/erupomare/research/hauora-maori-standards-of-health-iv-a-study-of-the-years-2000-2005>



## 1.6. Data sources

The data presented in this report come from routinely collected national government health datasets and routine national surveys. The main data sources for this report are:

- The 2018 Census of Population and Dwellings
- Te Kupenga 2018 (the Māori Social Survey)
- Mortality registrations
- Te Whatu Ora Primary Care Enrolment data

Data are presented for Māori and non-Māori residents, using the geographical boundaries in each dataset which most closely correspond to the boundaries of the IMPB. For some measures, the closest available match at this time has been the boundaries of the former DHBs covering the IMPB rohe. Where an IMPB area encompasses more than one former DHB, data are presented separately for each DHB area, to provide a sense of variation for Māori within the IMPB.

## 1.7. How to understand this report

The technical appendix at the end of this report contains further information to help users interpret the data presented. This includes a basic explanation of how to interpret the graphs and tables provided. There is also a description of key methods, including age-standardisation, comparator groups and statistical calculations. The appendix also contains a description of the quality of ethnicity data in each data source used in this profile, and how this may affect the accuracy of information for Māori. Further technical details are provided about the methods and data sources used to compile these reports, so that the methods can be replicated by others.



---

# Ngā tatauranga taupori matua

## Key demographics

Proactively Released

## 2. Ngā tatauranga taupori matua - Key demographics

### 2.1. About Ngaa Pou Hauora oo Taamaki Makaurau

Ngaa Pou Hauora oo Taamaki Makaurau IMPB is home to an estimated 103,970 Māori in 2023 (Table 1) and consists of the geographic area of South Auckland. While there may be some minor differences (see technical appendix for more details on how IMPB areas were calculated in this report), Figure 3 shows that the health planning area of Ngaa Pou Hauora oo Taamaki Makaurau aligns very closely with the boundary of the former Counties Manukau DHB. In this report, where data is presented for the IMPB, it has been mapped to SA2 geographic areas, and where data has been presented for the DHB, it is mapped to DHB boundaries.

Figure 3 - Map of Ngaa Pou Hauora oo Taamaki Makaurau IMPB with DHB boundaries, 2023






Table 1 shows the age breakdown of the population of Ngaa Pou Hauora oo Taamaki Makaurau. The Māori population of Ngaa Pou Hauora oo Taamaki Makaurau is very young, with 49% of the Māori population under the age of 25 years (compared to 32% of the non-Māori population in the area). Over the next two decades, the Māori population is projected to grow to an estimate of 134,500 (Table 2) and to be older - by 2043, 11% of the Māori population will be over 65 years old, compared to 6% in 2023. Māori will remain a relatively stable share of the population - 17% in 2023, rising to 18% in 2043 (Table 2).

**Table 1 - Population estimate by age group, Ngaa Pou Hauora oo Taamaki Makaurau, 2023**

Age group (years)	Māori			non-Māori		Total IMPB number
	Number	Age distribution	% of IMPB	Number	Age distribution	
0-14	30,830	30%	17%	105,560	20%	136,390
15-24	19,455	19%		64,585	12%	84,040
25-44	27,910	27%		154,630	30%	182,540
45-64	19,135	18%		124,160	24%	143,295
65+	5,850	6%		71,480	14%	77,330
<b>Total</b>	<b>103,970</b>	<b>100%</b>		<b>520,270</b>	<b>100%</b>	<b>624,240</b>

Source: Te Whatu Ora Populations Webtool (Statistics NZ base Census 2018 base).


**Table 2 - Population projections, Ngaa Pou Hauora oo Taamaki Makaurau, 2023 to 2043**

Year	Māori					non-Māori				
	Residents	% of IMPB	% 0-14 years	% 15-64 years	% 65+ years	Residents	% of IMPB	% 0-14 years	% 15-64 years	% 65+ years
2023	103,970	17%	30%	64%	6%	520,270	83%	20%	66%	14%
2028	112,060	17%	27%	66%	7%	544,770	83%	19%	65%	16%
2033	119,970	17%	25%	66%	9%	568,590	83%	17%	65%	18%
2038	128,020	18%	24%	65%	10%	590,140	82%	17%	64%	19%
2043	134,500	18%	24%	65%	11%	605,530	82%	16%	64%	20%

Source: Te Whatu Ora Populations Webtool (Statistics NZ base Census 2018 base).

The Geographic Classification for Health (GCH) is a rural-urban geographic classification composed of five categories, two urban and three rural, that reflect degrees of reducing urban influence and increasing rurality. It is applied to all of New Zealand's Statistical Areas on a scale from 'Urban 1' to 'Urban 2' based on population size, and from 'Rural 1' to 'Rural 3' based on drive time to their closest major, large, medium, and small urban areas. Most Māori in Counties Manukau DHB (95%) live in urban areas, with 5% living in rural areas compared to 96% and 4% for non-Māori respectively (Figure 4).

**Figure 4 - Population distribution by urban and rural classification, Counties Manukau DHB, 2023**



Source: Population count (Population Webtool SA2 2023); GCH (SA2 University of Otago). Note that total values may add up to more than 100% due to rounding.



---

**Mauri ora**

Overall health status

Proactively Released

### 3. Mauri ora - overall health status

#### 3.1. Life Expectancy

The life expectancy at birth for Māori born in Ngaa Pou Hauora oo Taamaki Makaurau between 2018-2022 is 77.2 years for females and 74.3 years for males (Table 3). Māori life expectancy in Ngaa Pou Hauora oo Taamaki Makaurau is 7.1 years shorter for Māori females and 6.6 years shorter for Māori males, compared to non-Māori in Ngaa Pou Hauora oo Taamaki Makaurau.

**Table 3 - Life expectancy at birth, Ngaa Pou Hauora oo Taamaki Makaurau, Māori and non-Māori, 2018 to 2022**

Sex	Māori		non-Māori		Difference in years
	Years (95% credible interval)		Years (95% credible interval)		
Female	77.2	(76.4, 78.0)	84.3	(84.1, 84.6)	-7.1
Male	74.3	(73.1, 75.5)	80.9	(80.7, 81.2)	-6.6

Source: Mortality data sourced from Ministry of Health. Mortality Collection, <https://www.health.govt.nz/nz-health-statistics/national-collections-and-surveys/collections/mortality-collection>.

Population denominator data from Statistics New Zealand, Population estimates (2022 update).

Analysed by Michael Walsh, Equity, Scientific and Technical Team, Equity Directorate, Service Improvement and Innovation, Te Whatu Ora; October 2023.

In terms of the conditions which make up the life expectancy gap for Māori, this degree of information is not available at IMPB level, however analysis has been done for the four Te Whatu Ora regions of Aotearoa. Ngaa Pou Hauora oo Taamaki Makaurau is situated in the Northern Region. The Northern Region also includes Northland, Waitematā and Auckland DHBs. In the Northern Region for 2018-2020, life expectancy for Māori was 76.2 years, 8.3 years lower than the non-Māori/non-Pacific population (84.5 years).

Avoidable deaths include those considered *amenable* to high-quality healthcare, *preventable* through public health interventions, or both. Among Māori in the Northern Region, 2.8 years of the 8.3 year gap can be attributed to conditions that are considered both amenable and preventable followed by 1.4 years from conditions considered preventable only and 0.9 years from conditions considered amenable only. An additional 3.1 years can be attributed to conditions that are considered non-avoidable<sup>7</sup>.

The leading avoidable causes of death contributing to the life expectancy gap among Māori in the Northern Region are coronary disease (0.9 years), lung cancer (0.9 years) and diabetes (0.4 years). A list of the top 10 conditions and their contribution to the gap are presented in Table 4. In total, these 10 conditions contribute 3.8 years of the 8.3 year gap. These data are not able to be disaggregated by sex for Māori at a regional level because the numbers are too small.

<sup>7</sup> By 'non-avoidable', the metric is referring to the direct causal pathway. Broader determinants of health such as income, education, housing, colonisation and institutional racism are not covered. Longer term all the 'gap' is avoidable through government, policy and intersectoral actions.



**Table 4 - Decomposition of the ethnic gap in life expectancy by avoidable category - Māori compared with non-Māori/non-Pacific, 2018 to 2020, Northern Region**

Avoidable cause	Contribution (years)
Coronary disease	0.9
Lung cancer	0.9
Diabetes	0.4
Chronic obstructive pulmonary disease	0.4
Land transport injuries	0.3
Suicide	0.3
Other accidental injuries	0.2
Stroke	0.2
Valvular heart disease	0.1
Stomach Cancer	0.1
<b>Total contribution from top 10 avoidable conditions</b>	<b>3.8 years*</b>

Source: Te Whatu Ora, May 2023. The Contribution of Avoidable Mortality to the Life Expectancy Gap among the Māori and Pacific population. Regional Summary.

Note: \* total number provided reflects source reporting (rounding issues may apply).

### 3.2. Self-assessed health

In 2018, 74.9% of Māori aged 15 years and over in Ngaa Pou Hauora oo Taamaki Makaurau reported their own health status as good, very good or excellent (Table 5), compared to 82.3% of Māori nationally. A total of 25.1% of Māori in Ngaa Pou Hauora oo Taamaki Makaurau reported their health status as fair or poor, compared to 17.7% of Māori nationally.

**Table 5 - Health status reported by Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau, 2018**

Health Status	Ngaa Pou Hauora oo Taamaki Makaurau		Aotearoa	
	%	(95% CI)	%	(95% CI)
Excellent	15.3	(11.0, 19.6)	15.1	(14.0, 16.2)
Very Good	29.4	(24.9, 33.9)	36.9	(35.4, 38.3)
Good	30.2	(25.3, 35.2)	30.3	(29.0, 31.7)
Fair/poor	25.1	(20.8, 29.3)	17.7	(16.6, 18.8)

Source: Te Kupenga 2018, Statistics New Zealand customised report.



### 3.3. Mortality

The leading causes of death for Māori in Counties Manukau DHB in 2014-2018 were ischaemic heart disease, lung cancer, chronic obstructive pulmonary disease (COPD), diabetes, and cerebrovascular disease (Table 6), the same as the leading causes for Māori nationally (Table 7). In comparison, the leading causes of death for non-Māori in Counties Manukau DHB were ischaemic heart disease, cerebrovascular disease, dementia, lung cancer and COPD in 2014-2018.

The leading causes of death for Māori females in Counties Manukau DHB in 2014-2018 were lung cancer, ischaemic heart disease, cerebrovascular disease, COPD and diabetes (Table 6). For Māori males, the leading causes of death in 2014-2018 were ischaemic heart disease, lung cancer, diabetes, COPD and suicide. These were the same as the leading causes of death for Māori males and females nationally (Table 7).

**Table 6 - Leading causes of death for Māori, all ages, Counties Manukau DHB, 2014 to 2018**

Cause	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Rate difference
	Av. no. per year	Age-standardised rate per 100,000 (95% CI)		Av. no. per year	Age-standardised rate per 100,000 (95% CI)				
<b>Female</b>									
Lung cancer	24	36.6 (23.3, 54.6)		57	7.6 (5.5, 10.1)		<b>4.82</b>	<b>(2.93, 7.92)</b>	29.0
Ischaemic heart disease	18	25.5 (14.8, 40.8)		147	11.0 (8.9, 13.5)		<b>2.32</b>	<b>(1.38, 3.89)</b>	14.5
Cerebrovascular disease	13	19.3 (10.0, 33.4)		116	9.0 (6.8, 11.5)		<b>2.15</b>	<b>(1.16, 3.97)</b>	10.3
COPD	12	17.1 (8.7, 30.2)		42	4.1 (2.8, 5.8)		<b>4.16</b>	<b>(2.12, 8.18)</b>	13.0
Diabetes mellitus	10	15.7 (7.5, 28.9)		46	5.9 (3.9, 8.3)		<b>2.66</b>	<b>(1.30, 5.46)</b>	9.8
<b>Male</b>									
Ischaemic heart disease	30	55.8 (37.3, 80.1)		209	28.6 (24.3, 33.5)		<b>1.95</b>	<b>(1.31, 2.90)</b>	27.2
Lung cancer	18	34.1 (20.3, 53.6)		69	10.2 (7.7, 13.2)		<b>3.34</b>	<b>(1.98, 5.66)</b>	23.9
Diabetes mellitus	12	22.3 (11.2, 39.5)		45	6.6 (4.6, 9.1)		<b>3.37</b>	<b>(1.73, 6.59)</b>	15.7
COPD	11	20.2 (9.8, 36.7)		54	6.0 (4.4, 8.0)		<b>3.38</b>	<b>(1.72, 6.62)</b>	14.2
Suicide	8	21.9 (9.3, 43.2)		25	9.4 (5.9, 14.2)		<b>2.32</b>	<b>(1.03, 5.24)</b>	12.5
<b>Total</b>									
Ischaemic heart disease	47	39.3 (28.8, 52.4)		356	19.5 (17.1, 22.1)		<b>2.02</b>	<b>(1.47, 2.77)</b>	19.8
Lung cancer	42	35.3 (25.4, 47.8)		127	8.8 (7.2, 10.7)		<b>4.01</b>	<b>(2.80, 5.75)</b>	26.5
COPD	22	18.2 (11.4, 27.6)		96	4.9 (3.9, 6.2)		<b>3.69</b>	<b>(2.30, 5.93)</b>	13.3
Diabetes mellitus	22	18.5 (11.5, 28.2)		92	6.2 (4.8, 7.9)		<b>2.98</b>	<b>(1.83, 4.86)</b>	12.3
Cerebrovascular disease	20	17.0 (10.2, 26.4)		193	9.3 (7.7, 11.1)		<b>1.83</b>	<b>(1.13, 2.97)</b>	7.7

Source: Mortality dataset, Ministry of Health.

Note: Ratios in bold show that Māori rates were significantly different from non-Māori rates in the DHB. Cerebrovascular disease includes stroke.



**Table 7 - Leading causes of death for Māori, all ages, Aotearoa, 2014 to 2018**

Cause	Māori		non-Māori		Māori/non-Māori rate ratio (95% CI)		non-Māori leading cause
	Age-standardised rate per 100,000 (95% CI)		Age-standardised rate per 100,000 (95% CI)				
<b>Female</b>							
Lung cancer	29.4	(25.4, 33.9)	7.7	(7.0, 8.4)	<b>3.84</b>	<b>(3.24, 4.55)</b>	Ischaemic heart disease
Ischaemic heart disease	24.4	(20.8, 28.3)	10.1	(9.5, 10.7)	<b>2.42</b>	<b>(2.05, 2.84)</b>	Dementia
COPD	16.6	(13.7, 19.9)	5.3	(4.8, 5.8)	<b>3.14</b>	<b>(2.55, 3.86)</b>	Cerebrovascular disease
Cerebrovascular disease	13.9	(11.2, 17.1)	7.7	(7.1, 8.4)	<b>1.80</b>	<b>(1.44, 2.25)</b>	COPD
Diabetes mellitus	12.9	(10.3, 16.0)	2.7	(2.3, 3.2)	<b>4.76</b>	<b>(3.64, 6.23)</b>	Lung cancer
<b>Male</b>							
Ischaemic heart disease	56.7	(50.5, 63.4)	25.3	(24.1, 26.6)	<b>2.24</b>	<b>(1.98, 2.53)</b>	Ischaemic heart disease
Lung cancer	28.4	(24.2, 33.2)	9.1	(8.4, 9.9)	<b>3.12</b>	<b>(2.61, 3.72)</b>	Dementia
Diabetes mellitus	19.3	(15.8, 23.4)	4.1	(3.6, 4.6)	<b>4.76</b>	<b>(3.77, 6.00)</b>	Cerebrovascular disease
COPD	15.5	(12.5, 19.1)	6.4	(5.8, 6.9)	<b>2.44</b>	<b>(1.95, 3.04)</b>	Lung cancer
Suicide	23.6	(18.8, 29.3)	13.0	(11.4, 14.6)	<b>1.82</b>	<b>(1.42, 2.34)</b>	COPD
<b>Total</b>							
Ischaemic heart disease	39.4	(35.9, 43.1)	17.3	(16.6, 18.0)	<b>2.27</b>	<b>(2.06, 2.51)</b>	Ischaemic heart disease
Lung cancer	29.0	(26.0, 32.2)	8.3	(7.8, 8.9)	<b>3.48</b>	<b>(3.08, 3.93)</b>	Dementia
COPD	16.0	(13.9, 18.3)	5.7	(5.4, 6.1)	<b>2.79</b>	<b>(2.40, 3.24)</b>	Cerebrovascular disease
Diabetes mellitus	15.9	(13.7, 18.4)	3.4	(3.0, 3.7)	<b>4.75</b>	<b>(3.99, 5.67)</b>	Lung cancer
Cerebrovascular disease	13.4	(11.4, 15.7)	8.0	(7.5, 8.4)	<b>1.68</b>	<b>(1.43, 1.99)</b>	COPD

Source: Mortality dataset, Ministry of Health.

Note: Ratios in bold show that Māori rates were significantly different from non-Māori rates. Cerebrovascular disease includes stroke. Dementia includes Alzheimer's Disease.

When looking at all deaths, the age-standardised death rate (348 deaths each year per 100,000 people) was 2.1 times higher for Māori compared to non-Māori in Counties Manukau DHB in 2014-2018 (Table 8). This equates to an average of 181 Māori females and 205 Māori males dying each year in Counties Manukau DHB.

**Table 8 - All-cause deaths, all ages, Counties Manukau DHB, 2014 to 2018**

Sex	Māori		non-Māori		Māori/non-Māori rate ratio (95% CI)		Rate difference
	Av. no. per year	Age-standardised rate per 100,000 (95% CI)	Av. no. per year	Age-standardised rate per 100,000 (95% CI)			
Female	181	288.9 (247.1, 335.6)	1,176	141.7 (129.6, 154.3)	<b>2.04</b>	<b>(1.71, 2.42)</b>	147.2
Male	205	419.5 (362.9, 482.2)	1,220	193.2 (179.3, 207.7)	<b>2.17</b>	<b>(1.85, 2.54)</b>	226.3
Total	386	348.1 (313.5, 385.4)	2,395	166.5 (157.3, 176.0)	<b>2.09</b>	<b>(1.86, 2.35)</b>	181.6

Source: Mortality dataset, Ministry of Health.

Note: Ratios in bold show that Māori rates were significantly different from non-Māori rates in the DHB. Average no. per year columns may not total exactly because of rounding.



The gap between Māori and non-Māori was higher for avoidable deaths (those deaths considered amenable to high-quality healthcare, preventable through public health interventions, or both) compared to all deaths (Table 9). The age-standardised potentially avoidable death rate (203 deaths each year per 100,000 people) was 2.4 times higher for Māori compared to non-Māori in Counties Manukau DHB in 2014-2018. This equates to an average of 95 avoidable deaths each year in Māori females aged 0-74 years, and 119 in Māori males in Counties Manukau DHB.

**Table 9 - Potentially avoidable deaths, ages 0-74 years, Counties Manukau DHB, 2014 to 2018**

Sex	Māori		non-Māori		Māori/non-Māori rate ratio (95% CI)		Rate difference
	Av. no. per year	Age-standardised rate per 100,000 (95% CI)	Av. no. per year	Age-standardised rate per 100,000 (95% CI)			
Female	95	166.0 (133.7, 203.6)	275	69.3 (59.5, 80.0)	<b>2.39</b>	<b>(1.86, 3.08)</b>	96.7
Male	119	245.7 (202.6, 295.1)	397	100.0 (88.8, 112.1)	<b>2.46</b>	<b>(1.98, 3.05)</b>	145.7
Total	214	203.0 (176.2, 232.7)	672	84.4 (76.9, 92.3)	<b>2.41</b>	<b>(2.04, 2.84)</b>	118.6

Source: Mortality dataset, Ministry of Health.

Note: Ratios in bold show that Māori rates were significantly different from non-Māori rates in the DHB.

The leading causes of potentially avoidable deaths (those deaths considered amenable to high-quality healthcare, preventable through public health interventions, or both) for Māori aged 0-74 years in Counties Manukau DHB were lung cancer, ischaemic heart disease, diabetes, COPD and suicide (Table 10).

These causes were the same as the leading causes of potentially avoidable death for Māori nationally (Table 11), although while ischaemic heart disease was the leading cause of potentially avoidable death for Māori nationally, lung cancer was the leading cause in the DHB. In comparison, the leading causes of potentially avoidable death for non-Māori in Counties Manukau DHB were ischaemic heart disease, lung cancer, diabetes, cerebrovascular disease and colorectal cancer in 2014-2018.

The leading causes of potentially avoidable deaths for Māori females in Counties Manukau DHB in 2014-2018 were lung cancer, ischaemic heart disease, cerebrovascular disease, diabetes, and COPD (Table 10). For Māori males, the leading causes of death in 2014-2018 were ischaemic heart disease, lung cancer, diabetes, suicide and motor vehicle accidents.

Māori aged 0-74 years in Counties Manukau DHB in 2014-2018 had 4.6 times higher potentially avoidable mortality from COPD compared to non-Māori, 4.5 times higher potentially avoidable mortality for lung cancer, 3.3 times higher potentially avoidable mortality for diabetes and 2.5 times higher potentially avoidable mortality for suicide (Table 10). Between 2014-2018, there were an average of 35 avoidable Māori deaths per year in Counties Manukau DHB from lung cancer, and 32 per year from ischaemic heart disease.



**Table 10 - Leading causes of potentially avoidable deaths, ages 0-74 years, Counties Manukau DHB, 2014 to 2018**

Cause	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Rate difference
	Av. no. per year	Age-standardised rate per 100,000 (95% CI)		Av. no. per year	Age-standardised rate per 100,000 (95% CI)				
<b>Female</b>									
Lung cancer	20	32.3 (19.7, 49.8)		32	5.8 (3.9, 8.3)		<b>5.55</b>	<b>(3.15, 9.78)</b>	26.5
Ischaemic heart disease	10	15.9 (7.3, 29.7)		26	4.8 (3.0, 7.1)		<b>3.33</b>	<b>(1.56, 7.11)</b>	11.1
Cerebrovascular disease	8	13.9 (5.9, 27.3)		19	3.8 (2.1, 6.3)		<b>3.61</b>	<b>(1.52, 8.60)</b>	10.1
Diabetes	8	13.1 (5.6, 26.0)		22	4.3 (2.5, 6.8)		<b>3.06</b>	<b>(1.32, 7.12)</b>	8.8
COPD	8	13.0 (5.7, 25.4)		15	2.5 (1.4, 4.1)		<b>5.25</b>	<b>(2.23, 12.36)</b>	10.5
<b>Male</b>									
Ischaemic heart disease	23	42.5 (26.6, 64.3)		93	19.3 (15.3, 24)		<b>2.20</b>	<b>(1.37, 3.52)</b>	23.2
Lung cancer	15	28.5 (16.0, 46.9)		41	7.7 (5.5, 10.6)		<b>3.68</b>	<b>(2.02, 6.69)</b>	20.8
Diabetes	9	17.1 (7.7, 32.7)		25	4.9 (3.1, 7.4)		<b>3.51</b>	<b>(1.60, 7.66)</b>	12.2
Suicide and self-inflicted injuries	8	22.1 (9.3, 43.6)		24	9.4 (5.8, 14.2)		<b>2.35</b>	<b>(1.04, 5.32)</b>	12.7
Motor vehicle accidents	8	18.0 (7.3, 36.5)		14	5.2 (2.7, 9.1)		<b>3.43</b>	<b>(1.37, 8.60)</b>	12.8
<b>Total</b>									
Lung cancer	35	30.5 (21.2, 42.4)		73	6.8 (5.2, 8.6)		<b>4.51</b>	<b>(3.00, 6.78)</b>	23.7
Ischaemic heart disease	32	28.2 (19.2, 39.9)		120	11.9 (9.7, 14.4)		<b>2.37</b>	<b>(1.59, 3.53)</b>	16.3
Diabetes	17	15.0 (8.7, 24.1)		46	4.6 (3.3, 6.2)		<b>3.28</b>	<b>(1.85, 5.82)</b>	10.4
COPD	15	12.9 (7.2, 21.3)		33	2.8 (1.9, 3.9)		<b>4.64</b>	<b>(2.51, 8.57)</b>	10.1
Suicide and self-inflicted injuries	13	15.9 (8.4, 27.2)		33	6.4 (4.3, 9.2)		<b>2.48</b>	<b>(1.28, 4.79)</b>	9.5

Source: Mortality dataset, Ministry of Health.

Notes: Ratios in bold show that Māori rates were significantly different from non-Māori rates in the DHB. Cerebrovascular disease includes stroke.



**Table 11 - Leading causes of potentially avoidable mortality, ages 0-74 years, Aotearoa, 2014 to 2018**

Cause	Māori		non-Māori		Māori/non-Māori rate ratio (95% CI)		non-Māori leading cause
	Age-standardised rate per 100,000 (95% CI)		Age-standardised rate per 100,000 (95% CI)				
<b>Female</b>							
Lung cancer	24.6	(20.8, 28.9)	6.0	(5.3, 6.7)	<b>4.11</b>	<b>(3.38, 5.00)</b>	Breast cancer
Ischaemic heart disease	14.5	(11.5, 17.9)	3.9	(3.4, 4.5)	<b>3.67</b>	<b>(2.85, 4.74)</b>	Lung cancer
COPD	11.2	(8.7, 14.1)	3.1	(2.7, 3.6)	<b>3.59</b>	<b>(2.72, 4.74)</b>	Ischaemic heart disease
Breast cancer	11.7	(8.9, 15.1)	8.1	(7.2, 9.1)	<b>1.45</b>	<b>(1.09, 1.92)</b>	Colorectal cancer
Diabetes	9.7	(7.3, 12.6)	1.7	(1.4, 2.2)	<b>5.56</b>	<b>(3.91, 7.91)</b>	COPD
<b>Male</b>							
Ischaemic heart disease	42.1	(36.7, 48.1)	15.5	(14.4, 16.7)	<b>2.71</b>	<b>(2.33, 3.16)</b>	Ischaemic heart disease
Lung cancer	24.0	(20.1, 28.5)	6.7	(6.0, 7.5)	<b>3.59</b>	<b>(2.93, 4.40)</b>	Lung cancer
Suicide and self-inflicted injuries	23.8	(18.9, 29.5)	12.9	(11.4, 14.6)	<b>1.84</b>	<b>(1.43, 2.36)</b>	Suicide and self-inflicted injuries
Diabetes	15.5	(12.3, 19.3)	2.8	(2.3, 3.3)	<b>5.64</b>	<b>(4.24, 7.51)</b>	Colorectal cancer
Motor vehicle accidents	16.1	(12.2, 20.7)	7.0	(5.8, 8.4)	<b>2.29</b>	<b>(1.68, 3.13)</b>	Cerebrovascular disease
<b>Total</b>							
Ischaemic heart disease	27.6	(24.5, 30.9)	9.6	(9.0, 10.2)	<b>2.88</b>	<b>(2.52, 3.28)</b>	Ischaemic heart disease
Lung cancer	24.3	(21.6, 27.4)	6.3	(5.8, 6.8)	<b>3.85</b>	<b>(3.34, 4.43)</b>	Lung cancer
Diabetes	12.4	(10.4, 14.7)	2.2	(1.9, 2.6)	<b>5.58</b>	<b>(4.47, 6.96)</b>	Colorectal cancer
Suicide and self-inflicted injuries	16.9	(14.0, 20.2)	8.6	(7.7, 9.6)	<b>1.96</b>	<b>(1.59, 2.41)</b>	Suicide and self-inflicted injuries
COPD	10.4	(8.6, 12.4)	3.2	(2.8, 3.5)	<b>3.30</b>	<b>(2.68, 4.05)</b>	COPD

Source: Mortality dataset, Ministry of Health.

Note: Ratios in bold show that Māori rates were significantly different from non-Māori rates. Cerebrovascular disease includes stroke.



---

# Whānau ora

## Healthy families

Proactively Released

## 4. Whānau ora - Healthy families

Māori models of health encompass cultural vitality and whānau wellbeing. Indicators of these dimensions of health specific for Māori in each IMPB are included in these profiles, sourced from Te Kupenga 2018, the Māori Social Survey conducted in 2018 by StatsNZ. In 2018, this was a survey of almost 8,500 adults (aged 15 years and over) of Māori ethnicity and/or descent. Further information on Te Kupenga can be found [here](#)<sup>8</sup>. Data from Te Kupenga are presented for Māori only.

Based on a scale where 0 is doing extremely badly and 10 is doing extremely well (Table 12), most Māori (72.1%) in Ngaa Pou Hauora oo Taamaki Makaurau reported their whānau was doing well (7/10 or greater). Just over a quarter of Māori (27.8%) in Ngaa Pou Hauora oo Taamaki Makaurau reported that their whānau was not doing well (6/10 or less). These findings are similar to the results for Māori nationally (26.4%).

**Table 12 - Whānau well-being reported by Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018**

How the whānau is doing	Ngaa Pou Hauora oo Taamaki Makaurau		Aotearoa	
	%	(95% CI)	%	(95% CI)
(10 out of 10)	11.6	(8.7, 14.5)	12.9	(12.1, 13.7)
(9 out of 10)	11.9	(8.4, 15.4)	12.8	(11.9, 13.6)
(8 out of 10)	24.9	(20.1, 29.7)	24.4	(23.3, 25.6)
(7 out of 10)	23.7	(19.9, 27.6)	23.5	(22.5, 24.6)
(0-6 out of 10)	27.8	(22.8, 32.8)	26.4	(25.2, 27.6)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

<sup>8</sup> <https://www.stats.govt.nz/information-releases/te-kupenga-2018-final-english>



When thinking about who made up the whānau, a quarter of Māori (25.3%) in Ngaa Pou Hauora oo Taamaki Makaurau included “close friends or others” (Table 13).

**Table 13 - Whānau composition reported by Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau, 2018**

Whānau description	Ngaa Pou Hauora oo Taamaki Makaurau		Aotearoa	
	%	(95% CI)	%	(95% CI)
<b>Size of whānau</b>				
10 or less	49.4	(43.3, 55.5)	52.1	(50.6, 53.6)
11 to 20	22.4	(18.4, 26.5)	24.2	(23.0, 25.4)
More than 20	28.2	(23.1, 33.3)	23.7	(22.3, 25.0)
<b>Groups included in whānau</b>				
Parents, partner, children, brothers & sisters	96.1	(93.4, 98.7)	97.4	(97.0, 97.8)
Grandparents, grandchildren	39.9	(34.7, 45.1)	39.0	(37.5, 40.5)
Aunts & uncles, cousins, nephews & nieces, other in-laws	48.8	(43.1, 54.5)	48.6	(47.1, 50.2)
Close friends, others	25.3	(19.4, 31.2)	22.6	(21.3, 23.8)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

About three quarters of Māori (74.1%) in Ngaa Pou Hauora oo Taamaki Makaurau reported it was easy or very easy to get support in times of need. Fewer Māori (63.1%) reported it was easy or very easy to get help with Māori cultural practices, such as going to a tangi, speaking at a hui or blessing a taonga (Table 14).

**Table 14 - Access to whānau support, Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018**

How easy is it to get help	Ngaa Pou Hauora oo Taamaki Makaurau		Aotearoa	
	%	(95% CI)	%	(95% CI)
<b>Support in times of need</b>				
Easy, very easy	74.1	(70.0, 78.1)	76.1	(74.9, 77.3)
Sometimes easy, sometimes hard	13.9	(11.2, 16.5)	16.4	(15.5, 17.4)
Hard, very hard	12.1 *	(8.4, 15.8)	7.5	(6.7, 8.3)
<b>Help with Māori cultural practices such as going to a tangi, speaking at a hui, or blessing a taonga</b>				
Easy, very easy	63.1	(58.0, 68.2)	59.0	(57.7, 60.3)
Sometimes easy, sometimes hard	15.6	(12.7, 18.5)	18.9	(17.9, 19.9)
Hard, very hard	18.6	(14.3, 22.9)	18.1	(17.0, 19.2)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

Note: An asterisk (\*) shows the sampling error is 30% or more but less than 50%.



Being involved in Māori culture was very/quite important to 48.3% of Māori in Ngāa Pou Hauora oo Taamaki Makaurau, and spirituality was very/quite important to 50.1% of Māori in Ngāa Pou Hauora oo Taamaki Makaurau (Table 15). Only 16.5% of Māori respondents in Ngāa Pou Hauora oo Taamaki Makaurau reported that being involved in Māori culture was not at all important to them.

**Table 15 - Importance of Māori culture and spirituality, Māori aged 15 years and over, Ngāa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018**

	Ngāa Pou Hauora oo Taamaki Makaurau		Aotearoa	
	%	(95% CI)	%	(95% CI)
<b>Importance of being involved in Māori culture</b>				
Very important	21.3	(17.5, 25.1)	22.1	(21.1, 23.1)
Quite important	27.0	(23.2, 30.8)	23.2	(22.1, 24.3)
Somewhat	24.7	(20.6, 28.7)	25.8	(24.7, 26.9)
A little important	16.8	(13.0, 20.6)	18.3	(17.1, 19.5)
Not at all important	10.3	(6.9, 13.6)	10.6	(9.7, 11.6)
<b>Importance of spirituality</b>				
Very important	34.0	(29.1, 38.9)	30.7	(29.5, 31.9)
Quite important	16.1	(13.1, 19.1)	18.0	(16.9, 19.0)
Somewhat	16.8	(13.1, 20.4)	16.8	(15.9, 17.8)
A little important	16.6	(13.4, 19.8)	15.3	(14.3, 16.2)
Not at all important	16.5	(12.7, 20.4)	19.2	(18.1, 20.4)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

In Ngāa Pou Hauora oo Taamaki Makaurau in 2018, 15.2% of Māori aged 15 years and over used te reo Māori regularly (Table 16). Small numbers in the Te Kupenga survey sample make it difficult to assess the percentage of homes where te reo Māori is the main language in Ngāa Pou Hauora oo Taamaki Makaurau.

**Table 16 - Use of te reo Māori in the home, Māori aged 15 years and over, Ngāa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018**

Language spoken at home	Ngāa Pou Hauora oo Taamaki Makaurau		Aotearoa	
	%	(95% CI)	%	(95% CI)
Māori is main language	S	(NA, NA)	1.8	(1.3, 2.2)
Māori is used regularly	15.2	(11.0, 19.5)	18.4	(17.3, 19.5)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

Notes: NA = Not Available, S = suppressed: number too small for reliable estimate.



In 2018, almost all Māori in Ngaa Pou Hauora oo Taamaki Makaurau (97.1%) aged 15 years and over had been to a marae, with a majority of those (54.2%) having been in the last 12 months (Table 17). Of those who had ever been to a marae, and who knew their ancestral marae, 85.7% had been to an ancestral marae at some time, 43.5% had been in the last 12 months, and just over two-thirds said they would like to go more often (68.9%).

**Table 17 - Access to marae, Māori aged 15 years and over, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018**

Been to marae	Ngaa Pou Hauora oo Taamaki Makaurau		Aotearoa	
	%	(95% CI)	%	(95% CI)
At some time	97.1	(95.2, 99.0)	96.6	(96.0, 97.1)
In previous 12 months <sup>[1]</sup>	54.2	(48.1, 60.2)	51.8	(50.6, 53.1)
Ancestral marae at some time <sup>[1][2]</sup>	85.7	(81.2, 90.2)	84.3	(82.9, 85.6)
Ancestral marae in previous 12 months <sup>[1][2]</sup>	43.5	(37.5, 49.6)	44.3	(42.6, 45.9)
Like to go to ancestral marae more often <sup>[1][2]</sup>	68.9	(64.1, 73.7)	63.6	(62.1, 65.1)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

Notes: [1] Those who had been to a marae at some time. [2] Includes only those who knew their ancestral marae.

In 2018, 11.7% of Māori in Ngaa Pou Hauora oo Taamaki Makaurau had taken part in traditional healing or massage in the past 12 months (Table 18).

**Table 18 - Māori aged 15 years and over who took part in traditional healing or massage in last 12 months, Ngaa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018**

Ngaa Pou Hauora oo Taamaki Makaurau		Aotearoa	
%	(95% CI)	%	(95% CI)
11.7	(8.5, 14.9)	12.3	(11.4, 13.2)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

---

**Wai ora**

Healthy environments

Proactively Released



## 5. Wai ora – Healthy environments

This section focuses on key aspects of social and physical environments that influence health and well-being. Information in this section comes from Māori and non-Māori individuals responding to the NZ Census 2018, or Māori respondents in the 2018 Te Kupenga survey. Because of data availability at the time of writing, NZ Census 2018, NZDep2018 and PHO enrolment data are presented for the Counties Manukau DHB geographical area, whereas Te Kupenga survey data is presented for the Ngāa Pou Hauora o Taamaki Makaurau IMPB geographic area. The data quality and degree of certainty for Māori is not the same for all variables from the NZ Census 2018. Please see the technical appendix at the end of this report, for further details about how geographic areas were defined for each data source, and for more information on how to interpret variables from the NZ Census 2018.

### 5.1. Education

In 2018, 60.2% of Māori aged over 20 years in Counties Manukau DHB had achieved a Level 2 Certificate or higher, compared to 79% for non-Māori (Table 19).

**Table 19 - Adults aged 20 years and over with a Level 2 Certificate or higher, Counties Manukau DHB, 2018**

Year	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
2018	26,475	60.2	(59.2, 61.0)	222,063	79.0	(78.6, 79.3)	<b>0.76</b>	<b>(0.76, 0.77)</b>	-18.8

Source: 2018 Census, Statistics New Zealand.

Notes: Percentages are age-standardised to the 2001 Māori population. Ratios in **bold** show a statistically significant difference between Māori and non-Māori.



## 5.2. Work

In 2018, 48.7% of Māori aged 15 years and over in Counties Manukau DHB were employed full time, and 11.7% were employed part time (Table 20). In 2018, 9.6% of Māori in Counties Manukau DHB were unemployed, almost twice the rate of non-Māori, and Māori were 1.1 times more likely than non-Māori to not be in the labour force.

**Table 20 - Labour force status, 15 years and over, Counties Manukau DHB, 2018**

Labour force status	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
Employed full-time	27,924	48.7	(48.1, 49.3)	185,301	54.3	(54.0, 54.5)	<b>0.90</b>	<b>(0.89, 0.90)</b>	-5.6
Employed part-time	6,681	11.7	(11.4, 12.0)	44,526	13.7	(13.6, 13.9)	<b>0.85</b>	<b>(0.83, 0.87)</b>	-2.0
Unemployed	5,274	9.6	(9.3, 9.8)	14,301	5.0	(4.9, 5.1)	<b>1.93</b>	<b>(1.87, 1.99)</b>	4.6
Not in the labour force	18,003	30.0	(29.6, 30.5)	112,122	27.0	(26.9, 27.2)	<b>1.11</b>	<b>(1.10, 1.13)</b>	3.0

Source: 2018 Census, Statistics New Zealand.

Notes Percentages are age-standardised to the 2001 Māori population. Ratios in **bold** show a statistically significant difference between Māori and non-Māori. Employed part-time includes people working 1 hour per week or more. Employed full-time includes people who usually work 30 or more hours per week. Unemployed people are without a paid job, available for work and actively seeking work. People not in the labour force includes people in the working age population who are neither employed nor unemployed.

In 2018, the main employers of Māori women in Counties Manukau DHB were education and training (13.8%); health care and social assistance (12.9%); retail trade (8.8%); transport, postal and warehousing (8.5%); and manufacturing (8.4%) (Table 21). For Māori men, the leading industries were construction (21.8%); manufacturing (15.0%); transport, postal and warehousing (13.2%); wholesale trade (7.8%); and administration and support services (7.0%).

**Table 21 - Leading industries in which Māori were employed, Counties Manukau DHB, 2018**

ANZSIC Industry	Māori			non-Māori		
	Number	%	Rank	Number	%	Rank
<b>Females</b>						
Education and Training	2,316	13.8%	1	12,591	11.9%	2
Health Care and Social Assistance	2,163	12.9%	2	15,288	14.5%	1
Retail Trade	1,482	8.8%	3	10,659	10.1%	3
Transport, Postal and Warehousing	1,425	8.5%	4	5,367	5.1%	9
Manufacturing	1,416	8.4%	5	10,305	9.8%	4
<b>Males</b>						
Construction	3,894	21.8%	1	17,877	14.4%	2
Manufacturing	2,673	15.0%	2	21,507	17.3%	1
Transport, Postal and Warehousing	2,349	13.2%	3	11,355	9.1%	3
Wholesale Trade	1,395	7.8%	4	11,331	9.1%	4
Administrative and Support Services	1,257	7.0%	5	6,450	5.2%	7

Source: 2018 Census, Statistics New Zealand.

Note: Australian and New Zealand Standard Industrial Classification (ANZSIC).



In terms of the type of work Māori perform within those industries (Table 22), for employed Māori women in Counties Manukau DHB, the leading occupational groupings were professionals (19.5%); clerical and administrative workers (19.1%); community and personal service workers (16.1%); and sales workers (13.4%). Māori men were most likely to be employed as machinery operators and drivers (24.4%); labourers (18.6%); technicians and trades workers (18%); and managers (12.6%).

**Table 22 - Leading occupations in which Māori were employed, Counties Manukau DHB, 2018**

ANZSCO Occupation	Māori			non-Māori		
	Number	%	Rank	Number	%	Rank
<b>Females</b>						
Professionals	3,273	19.5%	1	25,701	24.4%	1
Clerical and Administrative Workers	3,195	19.1%	2	21,045	19.9%	2
Community and Personal Service Workers	2,706	16.1%	3	13,785	13.1%	4
Sales Workers	2,250	13.4%	4	14,163	13.4%	3
Labourers	1,932	11.5%	5	9,588	9.1%	6
Managers	1,755	10.5%	6	13,374	12.7%	5
Machinery Operators and Drivers	1,011	6.0%	7	3,213	3.0%	8
Technicians and Trades Workers	642	3.8%	8	4,629	4.4%	7
<b>Males</b>						
Machinery Operators and Drivers	4,347	24.4%	1	18,195	14.6%	4
Labourers	3,315	18.6%	2	14,493	11.7%	5
Technicians and Trades Workers	3,219	18.0%	3	24,573	19.8%	1
Managers	2,244	12.6%	4	24,273	19.5%	2
Professionals	1,605	9.0%	5	19,473	15.7%	3
Sales Workers	1,074	6.0%	6	9,576	7.7%	6
Community and Personal Service Workers	1,056	5.9%	7	6,144	4.9%	8
Clerical and Administrative Workers	987	5.5%	8	7,599	6.1%	7

Source: 2018 Census, Statistics New Zealand.

Note: Australian and New Zealand Standard Classification of Occupations (ANZSCO), major grouping.

Unpaid work is very common, with 87.1% of Māori aged over 15 years in Counties Manukau DHB reporting they performed unpaid work in 2018 (Table 23). Māori in Counties Manukau DHB were 1.8 times more likely to participate in unpaid work looking after a disabled or ill household or non-household member.



**Table 23 - Unpaid work, 15 years and over, Counties Manukau DHB, 2018**

Unpaid work	Māori		non-Māori		Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	Number	%			
Any unpaid work	32,040	87.1	240,168	86.1	<b>1.01</b>	<b>(1.01, 1.02)</b>	1.0
Looking after disabled/ill household member	5,076	13.8	21,426	7.7	<b>1.80</b>	<b>(1.75, 1.85)</b>	6.1
Looking after disabled/ill non-household member	4,014	10.9	16,911	6.1	<b>1.80</b>	<b>(1.74, 1.86)</b>	4.9

Source: 2018 Census, Statistics New Zealand.


Notes: Percentages are NOT age-standardised due to not having detailed age-group data available. Ratios in bold show a statistically significant difference between Māori and non-Māori.

### 5.3. Income and standard of living

NZDep2018 is a small-area-based measure of neighbourhood deprivation, by looking at the comparative socio-economic positions of small geographic areas and assigning them decile numbers from 1 (least deprived) to 10 (most deprived). The index is based on 9 socio-economic variables from the 2018 Census (Atkinson, Salmond et al. 2019). It describes the general socio-economic deprivation of an area. An area's decile score does not necessarily mean all individuals living in that area experience an equivalent level of deprivation.

In Counties Manukau DHB, 59% of Māori lived in the two most deprived deciles in 2018, compared to 32% for non-Māori (Figure 5). A total of 7% of Māori in Counties Manukau DHB lived in the two least deprived deciles in 2018, compared to 16% of non-Māori in Counties Manukau DHB. In 2018, 41% of Māori in Counties Manukau DHB (37,500 people) lived in the most deprived decile.

**Figure 5 - NZDep2018 distribution of Māori and non-Māori by decile, Counties Manukau DHB, 2018**



Source: Deprivation decile for estimated resident population (ERP), former DHB areas, prioritised ethnicity, provided by Stats NZ for Te Whatu Ora. Deprivation is derived according to the neighbourhood where the individual lives, based on University of Otago's NZDep2018 Socio-economic Deprivation Indices.

In 2018, 12.3% of Māori aged over 15 years in Ngāa Pou Hauora oo Taamaki Makaurau reported often putting up with feeling cold, 9.2% often went without fresh fruit and vegetables, and 9.8% reported often postponing or putting off a doctor's visit, because of cost (Table 24).

**Table 24 - Unmet needs reported by Māori aged 15 years and over to keep costs down in the last 12 months, Ngāa Pou Hauora oo Taamaki Makaurau & Aotearoa, 2018**

Actions taken a lot to keep costs down	Ngāa Pou Hauora oo Taamaki Makaurau		Aotearoa	
	%	(95% CI)	%	(95% CI)
Put up with feeling the cold	12.3	(9.1, 15.5)	9.9	(9.1, 10.7)
Go without fresh fruit and vegetables	9.2 *	(6.0, 12.4)	6.2	(5.6, 6.9)
Postpone or put off visits to the doctor	9.8 *	(6.3, 13.2)	9.7	(8.8, 10.6)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

Note: An asterisk (\*) shows the sampling error is 30% or more but less than 50%. Participants were asked if they did any of these "a lot", "a little" or "not at all" to keep costs down. Only those who answered "a lot" are shown here.



Māori in Counties Manukau DHB are significantly more likely than non-Māori to receive an income of \$20,000 or less (Table 25). This equates to 36.3% of Māori aged 20 years and over living on an income of \$20,000 or less compared to 29.6% of non-Māori in 2018.

**Table 25 - People 20 years and over whose total annual personal income in \$20,000 or less, Counties Manukau DHB, 2018**

Measure	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
Total income \$20,000 or less	18,078	36.3	(35.8, 36.9)	101,274	29.6	(29.4, 29.8)	<b>1.23</b>	<b>(1.21, 1.24)</b>	6.7

Source: 2018 Census, Statistics New Zealand.

Notes: Percentages are age-standardised to the 2001 Māori population. Ratios in bold show a statistically significant difference between Māori and non-Māori.

Māori in Counties Manukau DHB are 3.2 times more likely than non-Māori to be without access to a motor vehicle (Table 26). This equates to 7% of Māori (4,455 people) living in Counties Manukau DHB with no access to a motor vehicle compared to 2.2% of non-Māori in 2018.

**Table 26 - People with no access to a motor vehicle, Counties Manukau DHB, 2018**

Year	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
2018	4,455	7.0	(6.8, 7.2)	9,999	2.2	(2.2, 2.3)	<b>3.19</b>	<b>(3.08, 3.30)</b>	4.8

Source: 2018 Census, Statistics New Zealand.

Notes: Percentages are age-standardised to the 2001 Māori population. Ratios in bold show a statistically significant difference between Māori and non-Māori.

Māori in Counties Manukau DHB are significantly more likely than non-Māori to have no access to telecommunications (Table 27). This equates to 2% of Māori (1,326 people) who had no access to any form of telecommunications (a functional cellphone, telephone, or the Internet) compared to 1.3% of non-Māori in 2018.

**Table 27 - People with no access to telecommunications, Counties Manukau DHB, 2018**

Year	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
2018	1,326	2.0	(1.9, 2.1)	4,662	1.3	(1.3, 1.4)	<b>1.53</b>	<b>(1.44, 1.63)</b>	0.7

Source: 2018 Census, Statistics New Zealand.

Notes: Percentages are age-standardised to the 2001 Māori population. Ratios in bold show a statistically significant difference between Māori and non-Māori.



## 5.4. Housing

Māori in Counties Manukau DHB are less likely than non-Māori to own their home (Table 28). In 2018, 75% of Māori aged 20 years and over in Counties Manukau DHB lived in a home they did not own/partly own or hold in a family trust compared to 56% of non-Māori.

**Table 28 - Housing tenure, 20 years and over, Counties Manukau DHB, 2018**

Housing tenure	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
Owned or partly owned	7,737	21.5	(20.9, 22.0)	106,905	35.7	(35.5, 35.9)	<b>0.60</b>	<b>(0.59, 0.61)</b>	-14.2
Held in a family trust	1,296	3.5	(3.3, 3.7)	26,943	8.3	(8.2, 8.4)	<b>0.43</b>	<b>(0.40, 0.45)</b>	-4.7
Not owned; not held in a family trust	23,124	75.0	(74.0, 76.0)	124,821	56.0	(55.7, 56.4)	<b>1.34</b>	<b>(1.33, 1.35)</b>	19.0

Source: 2018 Census, Statistics New Zealand.

Notes: Percentages are age-standardised to the 2001 Māori population. Ratios in bold show a statistically significant difference between Māori and non-Māori.

Living in an overcrowded home was 1.6 times more common for Māori than non-Māori in Counties Manukau DHB in 2018 (Table 29). In the 2018 Census, 23.5% of Māori (29,085 people) in Counties Manukau DHB lived in overcrowded homes compared to 14.4% of non-Māori.

**Table 29 - People living in crowded households (requiring at least one more bedroom), Counties Manukau DHB, 2018**

Measure	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
Household crowding	29,085	23.5	(23.2, 23.7)	117,534	14.4	(14.4, 14.5)	<b>1.62</b>	<b>(1.60, 1.64)</b>	9.1

Source: 2018 Census, Statistics New Zealand.

Notes: Percentages are age-standardised to the 2001 Māori population. Ratios in bold show a statistically significant difference between Māori and non-Māori.

In 2018, 47.7% of Māori in Counties Manukau DHB lived in a home that was sometimes or always damp, and 41.8% of Māori lived in a house with mould (Table 30). Māori in Counties Manukau DHB were 1.7 times more likely than non-Māori to live in a damp home and 1.6 times more likely to live in a mouldy home.

**Table 30 - People experiencing housing quality issues sometimes or always, Counties Manukau DHB, 2018**

Housing quality issues	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
Dampness	28,293	47.7	(47.2, 48.3)	94,035	28.6	(28.4, 28.8)	<b>1.67</b>	<b>(1.65, 1.69)</b>	19.1
Mould	25,056	41.8	(41.3, 42.3)	88,128	26.4	(26.2, 26.6)	<b>1.58</b>	<b>(1.57, 1.60)</b>	15.4

Source: 2018 Census, Statistics New Zealand.

Notes: Percentages are age-standardised to the 2001 Māori population. Ratios in bold show a statistically significant difference between Māori and non-Māori. Dampness indicator shows % people who stated their house experienced dampness sometimes or always. Mould indicator shows % people who stated their house experienced mould (of approximately A4-size or larger) sometimes or always.



Māori in Counties Manukau DHB were 1.1 times more likely than non-Māori to live in homes without any source of heating in 2018 (Table 31). In 2018, 13% of Māori (8,004 people) in Counties Manukau DHB reported living in a household with no heating compared to 12.1% of non-Māori.

**Table 31 - People living in households where there is no source of heating, Counties Manukau DHB, 2018**

Measure	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
No source of heating	8,004	13.0	(12.7, 13.3)	41,691	12.1	(12.0, 12.2)	<b>1.07</b>	<b>(1.05, 1.10)</b>	0.9

Source: 2018 Census, Statistics New Zealand.

Notes: Percentages are age-standardised to the 2001 Māori population. Ratios in bold show a statistically significant difference between Māori and non-Māori.

## 5.5. Primary Care Enrolment

In October 2023, 20% of Māori in Counties Manukau DHB were not enrolled with primary health care and were significantly less likely than non-Māori to be enrolled (Table 32). Nationally, 16.2% of Māori were not enrolled with primary health care, compared to 1.3% of non-Māori in October 2023. One partial explanation for the lower enrolment for Māori may be related to poor ethnicity data quality - this primary care enrolment data uses the ethnicity recorded in a person's National Health Index (NHI) record, and previous research has found that compared to the ethnicity that people report in the Census, the NHI undercounts Māori by 15.7%, with higher undercounts for Māori men (Harris, Paine et al. 2022). The fact that a larger number of non-Māori (100.2%) are enrolled with primary care than exist in the Census population denominator also indicates there may be a mismatch between the ethnicity recording between these two sources.

The poor ethnicity data quality makes it difficult to assess how many Māori in Counties Manukau DHB are actually missing out on being enrolled with primary health care, and how many are actually enrolled but misclassified with a non-Māori ethnicity. It is likely that both of these factors make a contribution to the inequity in primary care enrolment data.

**Table 32 - People enrolled with primary care, Counties Manukau DHB, October 2023**

Year	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Difference in percentage
	Number	%	(95% CI)	Number	%	(95% CI)			
2023	81,357	80.0	(79.4, 80.5)	508,620	100.2	(99.9, 100.5)	<b>0.80</b>	<b>(0.80, 0.80)</b>	-20.2

Source: Te Whatu Ora Primary Care Enrolment data; denominator is 2023 ERP from Te Whatu Ora Population Web Tool

Notes: Percentages are crude (not age-standardised). Ratios in bold show a statistically significant difference between Māori and non-Māori.




---

# Ngā āpitihanga

## Appendices

Proactively Released



# Appendix 1: IMPB Māori population projections

Table 33 - Māori population projections, single year, Counties Manukau DHB, by 5-year age band, 2018 to 2043

Age Groups	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
	2018			2019			2020			2021		
00-04	4,990	5,200	10,190	4,840	5,070	9,910	4,750	4,940	9,690	4,710	4,860	9,570
05-09	5,200	5,650	10,850	5,150	5,610	10,760	5,110	5,560	10,680	5,110	5,560	10,670
10-14	4,680	5,040	9,720	4,930	5,200	10,130	5,080	5,430	10,510	5,150	5,610	10,750
15-19	4,360	4,560	8,920	4,340	4,600	8,940	4,440	4,660	9,090	4,530	4,740	9,280
20-24	4,090	3,990	8,080	4,170	4,110	8,270	4,180	4,240	8,420	4,270	4,410	8,670
25-29	4,000	3,500	7,500	4,090	3,590	7,680	4,220	3,710	7,930	4,320	3,820	8,140
30-34	3,170	2,770	5,940	3,400	3,000	6,400	3,670	3,210	6,880	3,890	3,370	7,260
35-39	2,640	2,220	4,850	2,670	2,230	4,900	2,750	2,360	5,110	2,880	2,470	5,360
40-44	2,530	2,310	4,830	2,570	2,360	4,930	2,630	2,290	4,930	2,700	2,320	5,020
45-49	2,900	2,480	5,390	2,840	2,440	5,280	2,740	2,430	5,170	2,700	2,400	5,100
50-54	2,500	2,290	4,800	2,580	2,310	4,890	2,660	2,340	5,000	2,740	2,430	5,180
55-59	2,130	1,930	4,060	2,240	2,020	4,260	2,330	2,110	4,440	2,400	2,120	4,520
60-64	1,520	1,280	2,800	1,570	1,340	2,900	1,660	1,470	3,130	1,760	1,620	3,380
65-69	1,050	870	1,920	1,120	950	2,070	1,210	990	2,210	1,290	1,040	2,330
70-74	630	570	1,210	690	590	1,280	730	620	1,340	800	670	1,470
75-79	420	310	720	450	320	770	480	350	820	470	370	840
80-84	230	160	390	230	190	430	250	210	460	290	210	500
85+	130	60	200	150	60	210	160	70	230	160	90	260
<b>All Ages</b>	<b>47,200</b>	<b>45,200</b>	<b>92,400</b>	<b>48,000</b>	<b>46,000</b>	<b>94,000</b>	<b>49,000</b>	<b>47,000</b>	<b>96,000</b>	<b>50,200</b>	<b>48,100</b>	<b>98,300</b>

Source: Te Whatu Ora Population Webtool (Best Available Populations).



Age Groups	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
	2022			2023			2024			2025		
00-04	4,690	4,830	9,520	4,650	4,890	9,550	4,720	4,980	9,700	4,790	5,040	9,830
05-09	5,020	5,410	10,430	4,960	5,200	10,160	4,810	5,070	9,880	4,710	4,910	9,620
10-14	5,190	5,720	10,910	5,190	5,660	10,860	5,150	5,630	10,780	5,090	5,570	10,650
15-19	4,640	4,900	9,540	4,830	5,140	9,970	5,080	5,320	10,390	5,210	5,520	10,730
20-24	4,360	4,460	8,830	4,470	4,600	9,070	4,440	4,630	9,070	4,510	4,660	9,170
25-29	4,270	3,880	8,150	4,210	3,940	8,160	4,290	4,050	8,330	4,270	4,160	8,430
30-34	4,130	3,550	7,680	4,210	3,670	7,880	4,290	3,750	8,040	4,390	3,840	8,240
35-39	3,030	2,660	5,690	3,310	2,900	6,210	3,540	3,130	6,670	3,800	3,320	7,120
40-44	2,720	2,310	5,030	2,750	2,300	5,050	2,770	2,310	5,080	2,840	2,420	5,260
45-49	2,650	2,360	5,010	2,580	2,350	4,940	2,630	2,400	5,030	2,680	2,330	5,010
50-54	2,850	2,450	5,300	2,890	2,450	5,340	2,830	2,410	5,240	2,720	2,380	5,100
55-59	2,380	2,190	4,560	2,450	2,210	4,660	2,530	2,230	4,760	2,590	2,260	4,850
60-64	1,910	1,700	3,600	2,050	1,810	3,860	2,160	1,900	4,070	2,250	1,980	4,230
65-69	1,360	1,070	2,430	1,410	1,160	2,560	1,450	1,210	2,660	1,540	1,330	2,870
70-74	870	710	1,590	930	740	1,670	990	820	1,810	1,080	860	1,940
75-79	480	420	900	520	450	970	560	460	1,030	590	480	1,080
80-84	300	210	510	310	210	520	340	220	560	360	240	600
85+	180	110	290	210	110	320	200	140	350	220	160	380
<b>All Ages</b>	<b>51,000</b>	<b>48,900</b>	<b>100,000</b>	<b>51,900</b>	<b>49,800</b>	<b>101,700</b>	<b>52,800</b>	<b>50,700</b>	<b>103,500</b>	<b>53,600</b>	<b>51,500</b>	<b>105,100</b>

Source: Te Whatu Ora Population Webtool (Best Available Populations).



Age Groups	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
	2026			2027			2028			2029		
00-04	4,840	5,110	9,960	4,900	5,180	10,080	4,960	5,230	10,190	5,000	5,290	10,290
05-09	4,630	4,790	9,420	4,610	4,760	9,370	4,560	4,820	9,390	4,630	4,900	9,520
10-14	5,050	5,530	10,570	4,960	5,370	10,330	4,890	5,150	10,040	4,740	5,010	9,750
15-19	5,240	5,670	10,920	5,280	5,790	11,070	5,280	5,720	11,000	5,230	5,690	10,910
20-24	4,560	4,710	9,280	4,660	4,860	9,520	4,840	5,090	9,930	5,080	5,260	10,350
25-29	4,330	4,290	8,610	4,410	4,330	8,740	4,510	4,450	8,960	4,460	4,480	8,940
30-34	4,450	3,920	8,370	4,400	3,960	8,370	4,330	4,020	8,360	4,400	4,120	8,520
35-39	4,000	3,470	7,470	4,240	3,640	7,880	4,310	3,750	8,060	4,380	3,830	8,210
40-44	2,950	2,510	5,460	3,090	2,690	5,780	3,380	2,930	6,300	3,610	3,160	6,760
45-49	2,730	2,340	5,070	2,750	2,320	5,070	2,760	2,310	5,070	2,780	2,310	5,090
50-54	2,670	2,340	5,000	2,610	2,300	4,910	2,550	2,290	4,840	2,590	2,340	4,930
55-59	2,670	2,340	5,000	2,770	2,360	5,130	2,810	2,350	5,160	2,750	2,310	5,070
60-64	2,310	1,980	4,290	2,280	2,050	4,330	2,350	2,080	4,420	2,420	2,090	4,520
65-69	1,620	1,460	3,080	1,770	1,530	3,300	1,910	1,640	3,550	2,020	1,730	3,750
70-74	1,150	900	2,040	1,210	920	2,130	1,250	1,000	2,250	1,290	1,040	2,330
75-79	650	530	1,180	720	570	1,290	760	590	1,360	830	670	1,490
80-84	350	250	610	360	300	660	390	320	700	420	320	750
85+	260	160	420	270	170	430	290	170	450	310	180	490
<b>All Ages</b>	<b>54,500</b>	<b>52,300</b>	<b>106,700</b>	<b>55,300</b>	<b>53,100</b>	<b>108,400</b>	<b>56,100</b>	<b>53,900</b>	<b>110,000</b>	<b>56,900</b>	<b>54,700</b>	<b>111,700</b>

Source: Te Whatu Ora Population Webtool (Best Available Populations).



Age Groups	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
	2030			2031			2032			2033		
00-04	5,040	5,330	10,380	5,080	5,370	10,450	5,120	5,400	10,520	5,150	5,440	10,600
05-09	4,680	4,960	9,640	4,740	5,020	9,760	4,790	5,090	9,880	4,850	5,150	9,990
10-14	4,630	4,850	9,480	4,550	4,730	9,280	4,530	4,700	9,220	4,480	4,750	9,230
15-19	5,160	5,620	10,780	5,120	5,580	10,690	5,030	5,420	10,450	4,960	5,200	10,160
20-24	5,220	5,470	10,690	5,260	5,620	10,870	5,290	5,730	11,020	5,290	5,670	10,950
25-29	4,530	4,510	9,040	4,590	4,560	9,140	4,690	4,710	9,390	4,870	4,940	9,810
30-34	4,380	4,230	8,610	4,440	4,360	8,800	4,520	4,410	8,930	4,620	4,530	9,150
35-39	4,480	3,910	8,400	4,540	3,990	8,530	4,490	4,040	8,530	4,430	4,100	8,520
40-44	3,860	3,360	7,220	4,070	3,500	7,580	4,310	3,680	7,990	4,380	3,790	8,170
45-49	2,850	2,410	5,260	2,960	2,500	5,460	3,100	2,680	5,780	3,390	2,920	6,310
50-54	2,640	2,270	4,910	2,690	2,280	4,980	2,710	2,270	4,970	2,720	2,250	4,970
55-59	2,640	2,290	4,930	2,590	2,240	4,840	2,540	2,210	4,750	2,480	2,210	4,690
60-64	2,490	2,120	4,610	2,560	2,200	4,760	2,660	2,220	4,890	2,700	2,220	4,920
65-69	2,110	1,810	3,910	2,160	1,800	3,970	2,130	1,870	4,000	2,200	1,900	4,090
70-74	1,370	1,150	2,510	1,440	1,270	2,710	1,580	1,340	2,920	1,720	1,430	3,160
75-79	910	700	1,610	970	730	1,700	1,030	750	1,770	1,050	820	1,870
80-84	440	340	770	490	370	860	550	410	950	590	430	1,020
85+	330	220	550	350	210	560	350	250	600	370	250	630
<b>All Ages</b>	<b>57,800</b>	<b>55,500</b>	<b>113,300</b>	<b>58,600</b>	<b>56,300</b>	<b>114,900</b>	<b>59,400</b>	<b>57,200</b>	<b>116,600</b>	<b>60,200</b>	<b>58,000</b>	<b>118,200</b>

Source: Te Whatu Ora Population Webtool (Best Available Populations).



Age Groups	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
	2034			2035			2036			2037		
00-04	5,190	5,490	10,680	5,230	5,530	10,750	5,260	5,560	10,830	5,300	5,600	10,900
05-09	4,900	5,200	10,090	4,940	5,240	10,180	4,980	5,290	10,270	5,020	5,330	10,340
10-14	4,540	4,820	9,360	4,590	4,890	9,480	4,640	4,950	9,590	4,700	5,010	9,710
15-19	4,810	5,060	9,870	4,710	4,900	9,600	4,620	4,770	9,400	4,600	4,740	9,330
20-24	5,230	5,630	10,860	5,160	5,560	10,730	5,120	5,520	10,640	5,030	5,370	10,400
25-29	5,120	5,120	10,230	5,250	5,330	10,580	5,290	5,480	10,770	5,330	5,590	10,930
30-34	4,570	4,560	9,130	4,640	4,590	9,230	4,700	4,640	9,340	4,800	4,790	9,600
35-39	4,490	4,200	8,690	4,480	4,310	8,780	4,530	4,440	8,970	4,620	4,490	9,110
40-44	4,450	3,870	8,320	4,550	3,950	8,510	4,610	4,030	8,650	4,570	4,080	8,640
45-49	3,620	3,160	6,780	3,880	3,360	7,250	4,090	3,510	7,600	4,330	3,690	8,020
50-54	2,740	2,240	4,980	2,800	2,350	5,150	2,910	2,440	5,350	3,060	2,620	5,680
55-59	2,520	2,260	4,790	2,570	2,200	4,770	2,630	2,210	4,840	2,640	2,200	4,840
60-64	2,660	2,180	4,840	2,550	2,160	4,710	2,510	2,120	4,620	2,460	2,090	4,550
65-69	2,270	1,920	4,190	2,330	1,940	4,280	2,400	2,030	4,430	2,510	2,050	4,560
70-74	1,830	1,520	3,360	1,920	1,600	3,520	1,980	1,590	3,570	1,950	1,660	3,610
75-79	1,080	840	1,910	1,140	940	2,080	1,200	1,040	2,250	1,340	1,100	2,440
80-84	640	500	1,140	720	530	1,250	780	550	1,320	820	550	1,370
85+	410	270	680	430	280	710	470	300	770	510	350	860
<b>All Ages</b>	<b>61,100</b>	<b>58,800</b>	<b>119,900</b>	<b>61,900</b>	<b>59,600</b>	<b>121,500</b>	<b>62,700</b>	<b>60,500</b>	<b>123,200</b>	<b>63,600</b>	<b>61,300</b>	<b>124,900</b>

Source: Te Whatu Ora Population Webtool (Best Available Populations).



Age Groups	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total
	2038			2039			2040			2041		
00-04	5,330	5,620	10,950	5,360	5,660	11,010	5,380	5,680	11,060	5,410	5,710	11,110
05-09	5,060	5,370	10,420	5,090	5,410	10,500	5,130	5,450	10,580	5,170	5,490	10,660
10-14	4,760	5,070	9,830	4,810	5,120	9,930	4,850	5,170	10,030	4,890	5,220	10,110
15-19	4,550	4,790	9,340	4,600	4,860	9,460	4,650	4,920	9,570	4,710	4,980	9,690
20-24	4,960	5,140	10,100	4,810	5,010	9,820	4,710	4,840	9,550	4,630	4,720	9,350
25-29	5,320	5,530	10,850	5,260	5,500	10,760	5,200	5,430	10,620	5,150	5,390	10,540
30-34	4,990	5,030	10,030	5,240	5,210	10,450	5,380	5,420	10,810	5,420	5,580	11,000
35-39	4,710	4,610	9,330	4,670	4,640	9,320	4,740	4,680	9,420	4,800	4,730	9,540
40-44	4,500	4,140	8,640	4,570	4,240	8,810	4,560	4,350	8,910	4,620	4,490	9,100
45-49	4,410	3,800	8,200	4,480	3,870	8,350	4,580	3,960	8,540	4,640	4,040	8,690
50-54	3,350	2,860	6,210	3,580	3,100	6,680	3,850	3,300	7,150	4,060	3,450	7,510
55-59	2,650	2,170	4,820	2,670	2,160	4,840	2,740	2,270	5,000	2,850	2,350	5,200
60-64	2,400	2,090	4,490	2,450	2,150	4,600	2,500	2,090	4,590	2,550	2,110	4,660
65-69	2,550	2,050	4,600	2,520	2,010	4,530	2,420	1,990	4,410	2,380	1,960	4,340
70-74	2,010	1,690	3,690	2,070	1,710	3,780	2,130	1,730	3,860	2,200	1,820	4,020
75-79	1,480	1,190	2,670	1,590	1,280	2,860	1,670	1,350	3,020	1,730	1,340	3,060
80-84	830	600	1,430	830	610	1,440	880	690	1,570	930	790	1,720
85+	550	360	910	630	410	1,050	700	440	1,140	750	460	1,210
<b>All Ages</b>	<b>64,400</b>	<b>62,100</b>	<b>126,500</b>	<b>65,200</b>	<b>62,900</b>	<b>128,200</b>	<b>66,100</b>	<b>63,800</b>	<b>129,800</b>	<b>66,900</b>	<b>64,600</b>	<b>131,500</b>

Source: Te Whatu Ora Population Webtool (Best Available Populations).

Age Groups	Female	Male	Total	Female	Male	Total
	2042			2043		
00-04	5,430	5,730	11,150	5,440	5,750	11,190
05-09	5,200	5,520	10,730	5,240	5,560	10,790
10-14	4,930	5,260	10,190	4,980	5,300	10,280
15-19	4,760	5,040	9,810	4,820	5,100	9,920
20-24	4,600	4,680	9,280	4,550	4,730	9,280
25-29	5,060	5,230	10,290	4,990	5,010	10,000
30-34	5,460	5,700	11,160	5,460	5,640	11,090
35-39	4,910	4,890	9,800	5,100	5,130	10,230
40-44	4,700	4,540	9,240	4,800	4,670	9,460
45-49	4,600	4,090	8,690	4,540	4,150	8,680
50-54	4,290	3,630	7,920	4,370	3,740	8,110
55-59	2,990	2,530	5,530	3,280	2,770	6,050
60-64	2,570	2,090	4,660	2,580	2,070	4,650
65-69	2,330	1,940	4,270	2,280	1,950	4,230
70-74	2,310	1,840	4,160	2,360	1,840	4,200
75-79	1,690	1,400	3,090	1,750	1,430	3,170
80-84	1,060	830	1,880	1,180	900	2,080
85+	800	490	1,290	810	520	1,330
<b>All Ages</b>	<b>67,700</b>	<b>65,400</b>	<b>133,100</b>	<b>68,500</b>	<b>66,200</b>	<b>134,700</b>

Source: Te Whatu Ora Population Webtool (Best Available Populations).



# Appendix 2: Technical notes

## 1. Explanation of statistical terms used in this report

### 95% confidence interval

#### Technical definition

A 95% confidence interval represents a range from a lower to an upper value that is likely to include the true average figure for the entire population. It suggests that if a similar sample of the total population was taken 100 times, the true value would be found within this range 95 times. This confidence interval can vary in size: a larger number of survey responses or participants, typically results in a narrower range, indicating more precise estimates, while a smaller number of responses may result in a broader range, indicating less certainty about the exact figure.

#### Plain English definition

When a health study gives a number, like how many people feel healthy, it's often not just one number but a range. This range is what's called a 95% confidence interval. It's like a safety net that says, 'We think the real number is in here.' And if we did the study over and over, 95 times out of 100, we'd get a number in this range. The more people we include in our sample, the smaller and more accurate this net becomes. So, if we ask only a few people, the net is wide, and we're less sure. If we ask a lot of people, the net gets tighter, and we're more sure we've got the right number.

#### Example from the report

In a survey assessing health status among residents of Te Moana a Toi<sup>9</sup> (see table below), 13.0% of the sampled Māori population considered their health to be 'Excellent'. However, this percentage is an estimate from a sample of people in Te Moana a Toi, not the entire population. The 95% confidence interval, shown in brackets as "(9.8, 16.2)", indicates that there is a 95% probability that the actual percentage of all Māori residents who would rate their health as 'Excellent' falls within this range. If this survey were to be conducted 100 times with different sample groups, it is expected that 95 of those surveys would yield a true percentage that falls between 9.8% and 16.2%.

**Table 6 - Health status reported by Māori aged 15 years and over, Te Moana a Toi, 2018**

Health Status	Te Moana a Toi		Aotearoa	
	%	(95% CI)	%	(95% CI)
Excellent	13.0	(9.8, 16.2)	15.1	(14.0, 16.2)
Very Good	40.2	(35.6, 44.9)	36.9	(35.4, 38.3)
Good	30.1	(25.3, 35.0)	30.3	(29.0, 31.7)
Fair/poor	16.6	(12.9, 20.3)	17.7	(16.6, 18.8)

Source: Te Kupenga 2018, Statistics New Zealand customised report.

<sup>9</sup> The example tables in this technical appendix are all taken from the Te Moana a Toi IMPB profile, and are presented purely as an example to facilitate understanding across all IMPB data profiles

## Age standardisation

### Technical definition

Age-standardisation is a statistical method used to compare rates of events across different populations by adjusting for age differences in the two groups. This method is particularly useful when comparing health outcomes between groups like Māori and non-Māori, where there are significant differences in age distribution; for example only 8% of Māori are aged 65 and over in Te Moana a Toi compared with 26% of non-Māori (see the table below).

Because of these age differences, comparing crude rates (actual observed rates) can be misleading. By applying the age-specific rates from the populations being compared to a standard population, age-standardised rates provide a clearer comparison as if the populations had the same age distribution. Almost all data in this report has been age-standardised to the 2001 Māori population. Where crude rates are presented instead, this is noted beneath the table.

**Table 2 – Population estimate by age group, Te Moana a Toi, 2023**

Age group (years)	Māori			non-Māori		Total IMPB number
	Number	Age distribution	% of IMPB	Number	Age distribution	
0–14	20,255	30%		30,670	15%	50,925
15–24	12,285	18%		16,810	8%	29,095
25–44	16,465	24%		50,870	25%	67,335
45–64	13,030	19%		52,935	26%	65,965
65+	5,575	8%		51,760	26%	57,335
<b>Total</b>	<b>68,000</b>	<b>100%</b>	<b>25%</b>	<b>202,740</b>	<b>100%</b>	<b>270,740</b>

### Plain English definition

Age-standardisation is a method used to compare health between two groups fairly. It adjusts the numbers to consider how young or old the people in each group are. This way, when looking at health data, it is more likely that any differences between the groups are not just because one has more young people or more old people. It helps give a more accurate picture of health when comparing two groups with a different spread of ages.

### Example from the report

The table below shows an age-standardised rate of 28.4 per 100,000 per year ischaemic heart disease events among Bay of Plenty DHB Māori women between 2014 and 2018. Without age standardisation calculations, crude rates would be lower than 28.4 among Māori women. The lower rate would be simply because a larger proportion of the Māori population is younger and ischaemic heart disease is more frequent in older people.

**Table 6 - Leading causes of death for Māori, all ages, Bay of Plenty DHB, 2014 to 2018**

Cause	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)	Rate difference
	Av. no. per year	Age-standardised rate per 100,000 (95% CI)		Av. no. per year	Age-standardised rate per 100,000 (95% CI)			
<b>Female</b>								
Ischaemic heart disease	19	28.4 (16.2, 45.5)		98	8.3 (6.2, 10.9)		<b>3.40 (1.95, 5.93)</b>	20.1



## Rate ratios

### Technical definition

Rate ratios, often referred to as relative risks, are a measure of the relationship between the occurrence of a certain event in two different groups, typically standardised for age (see section on age standardisation above) to allow fair comparison. It is the result of the rate of the event in the first group (for example, Māori) divided by the rate in the second group (non-Māori), which serves as the reference group. A rate ratio of 1 indicates parity between groups, above 1 indicates a higher rate in the first group, and below 1 indicates a lower rate. In general, the data presented in this report uses Māori as the first group and compares it with non-Māori as the second group.

### Plain English definition

A rate ratio compares how common something, like a disease, is between two different groups of people, like Māori and non-Māori. If the ratio is exactly 1, both groups are equally affected. If it's higher than 1, it means that the first group, in this case Māori, has the event happen more often. If it's lower, Māori have it happen less often. It tells us the relative disparity between two groups.

### Example from the report

In the table below, the rate ratio for ischaemic heart disease is 3.40. This tells us that Māori females are more than three times as likely to suffer from this condition compared to non-Māori females after considering the age distribution in each group.

The 95% confidence interval (see section on confidence intervals above) of 1.95 to 5.93 for this rate ratio indicates that we are very sure that the true rate ratio is significantly different from 1, indicating a genuine disparity in risk between the two populations. In this report, a statistically significant difference between groups is evident when the confidence interval for the rate ratio does not cross 1. These results are shown in **bold** type.

**Table 6 - Leading causes of death for Māori, all ages, Bay of Plenty DHB, 2014 to 2018**

Cause	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)	Rate difference	
	Av. no. per year	Age-standardised rate per 100,000 (95% CI)		Av. no. per year	Age-standardised rate per 100,000 (95% CI)				
<b>Female</b>									
Ischaemic heart disease	19	28.4 (16.2, 45.5)		98	8.3 (6.2, 10.9)		<b>3.40</b>	<b>(1.95, 5.93)</b>	20.1

## Rate difference

### Technical definition

Rate differences, also known as absolute differences, quantify the disparity between two groups by showing the additional number of events occurring in one group compared to another, per population unit (like per 100,000 people). This is calculated by subtracting the event rate of the reference group from that of the comparison group.

### Plain English definition

Rate difference tells us how much more often something happens in one group compared to another. If you take the number of times an event happens per 100,000 people in one group and subtract the same from another group, you get the rate difference. This number shows if one group is experiencing more of a certain event, like a disease or death, and by how much. It's a simple way to see the actual impact of a problem on one group over another.

### Example from the report

The table below show that Māori females in Bay of Plenty DHB have an age-standardised rate of ischaemic heart disease at 28.4 events per 100,000 per year, while the rate for non-Māori females is 8.3. This gives a rate difference of 20.1 events per 100,000 per year, which tells us that in a population of 100,000 Māori women and 100,000 non-Māori women there are 20.1 more cases of ischaemic heart disease among Māori females than non-Māori females each year. This figure is crucial because it doesn't just show the relative disparity (like a rate ratio does), but it tells us how many additional events are affecting Māori females, highlighting the actual impact of the disease on the population and where health resources might be most needed to address the disparity.

**Table 6 - Leading causes of death for Māori, all ages, Bay of Plenty DHB, 2014 to 2018**

Cause	Māori			non-Māori			Māori/non-Māori rate ratio (95% CI)		Rate difference
	Av. no. per year	Age-standardised rate per 100,000 (95% CI)		Av. no. per year	Age-standardised rate per 100,000 (95% CI)				
<b>Female</b>									
Ischaemic heart disease	19	28.4 (16.2, 45.5)		98	8.3 (6.2, 10.9)		<b>3.40</b>	<b>(1.95, 5.93)</b>	20.1



## 2. Key methods and quality limitations of key data sources

This section describes in more detail the specific methods, and key limitations, used for each of the main data sources used in this report.

### Numerators

Data in this first volume of IMPB profiles are sourced from Te Whatu Ora, Manatū Hauora (the Ministry of Health), and Statistics New Zealand (StatsNZ). Where administrative data (e.g. national mortality data) are used, the most recent five years of non-provisional data were aggregated to provide more stable rate estimates for smaller areas. Census data were taken from the 2018 Census, and data from the Te Kupenga survey were from the 2018 Te Kupenga survey, undertaken after the 2018 Census.

### Denominators

StatsNZ mid-year (at 30 June) estimated resident population was used as denominator data in the calculation of population rates for deaths and Primary Healthcare Organisation (PHO) enrolment. For census variables, the denominator is the people for whom there is a response / relevant information from the census dataset for the question asked ('people stated'). This differs for each question, and is a subset of the total usually resident population identified by the census for the relevant rohe (region). For Te Kupenga survey data, the denominator is the total stated population, this means that people who refuse to answer/ don't know their answer/ answer with an invalid answer are excluded.

### Ethnicity data

#### *Ethnicity data quality*

Although high quality ethnicity data are critical for Māori health improvement, ethnicity data quality in the health sector remains poor (Harris, Paine et al. 2022). It is the responsibility of the entire health system to collect, record and report ethnicity data in the ways set out in the HISO 10001:2017 Ethnicity Data Protocols (Ministry of Health. 2017). Despite the protocols being in existence for nearly 20 years, there is evidence that they are not being adhered to and Māori have continued to be systematically undercounted (Cormack D and McLeod M 2010, Harris, Paine et al. 2022). Self-identified ethnicity recorded on the Census is considered to be the "gold-standard" for ethnicity data, so this is used as the denominator for most variables in this report.

To understand what impact the ethnicity data quality is likely to have, on the accuracy of the results presented in this report, we need to consider the ethnicity data quality in both the numerator and the denominator. For some measures, it may underestimate the true number of, or rate of, a particular outcome for Māori. The potential impact of ethnicity data weaknesses is discussed for each data source later in this Appendix.

#### *Ethnicity classification*

When analysing data, there are different ways to classify people who report multiple ethnicities. The two main ways are *total response (overlapping) output* and *prioritised output*. In total response output, each respondent is counted in each of the ethnic groups they reported. So, individuals who indicate more than one ethnic group are counted more than once, and the sum of the ethnic group populations will exceed the total population of NZ. For example, using total response classification, a death from lung cancer in an individual who identifies as Māori and New Zealand European, will be reported as a lung cancer death for both ethnicities.

In prioritised output, each respondent is allocated to a single ethnic group using a prioritisation order, with Māori first, to ensure that ethnic groups of policy importance or of small size, are not swamped by the New Zealand European ethnic group. Under this method, a person is classified as Māori if any one of their recorded ethnicities are Māori. For example, using prioritised classification, a death from lung

cancer in a person recorded as both Māori and New Zealand European, would be counted as a lung cancer death for Māori, and not in non-Māori.

In this report, the method of ethnicity classification is noted under each table or figure. Wherever possible, prioritised ethnicity classification was used when people identified with more than one ethnic group.

### Comparison group

Most indicators compare Māori with non-Māori. Non-Māori includes all people who do not identify as Māori and represent a comparative or reference group. Some indicators in this report (e.g. life expectancy) use non-Māori non-Pacific (all people who do not identify as either Māori or Pacific or both) as the comparison group. This is done because in areas where there are large Pacific populations, grouping the Pacific population with the non-Māori group skews the result for the comparison group toward the Māori population. This is particularly necessary in regions where there is a high Pacific population such as South Auckland.

### Age-standardised and crude rates

This report uses direct age-standardisation; most rates (unless noted otherwise) are standardised to the 2001 Census Māori population. Where data were not available with sufficient age group breakdown to allow age standardisation, or data for a specific age were presented, crude rates were calculated. In this case, caution should be taken when comparing Māori with non-Māori results. Crude rates accurately portray a situation in each population, but make comparisons difficult, because they do not consider the different age distributions in each of the populations (e.g., the Māori population is much younger than the non-Māori population). Rates were not calculated for counts fewer than five in data from national collections. For Te Kupenga data, if the weighted count (estimate) was less than 1000 then the data was suppressed.

### Confidence intervals

This report has endeavoured where possible to provide local data specific to IMPBs and their relevant DHB areas. Some of these areas have small populations. As the size of the group becomes smaller, the confidence interval (CI) becomes wider, and there is less certainty about the rate. This means the degree of confidence and certainty about the numbers diminishes for rohe (regions) with smaller populations. Thinking of the data as 'indicative' rather than precise is important in these rohe, as well as considering Māori-specific regional and national data, which will have greater certainty around rates, because of the larger sample size.

When the CIs of two groups do not overlap, the difference in rates between the groups is considered statistically significant. Sometimes, even when there are overlapping CIs, the difference between the groups may be statistically significant. Determining that would require further statistical testing which has not been undertaken for this report.

### Rate ratios

Age-standardised rate ratios are used in this report to compare age-standardised rates between Māori and non-Māori. The rate ratio (RR) is equal to the age-standardised Māori rate divided by the age-standardised non-Māori rate. The non-Māori population is used as the reference population. For example, an age-standardised RR of 1.5 means that the rate is 50 percent higher (or 1.5 times as high) in Māori than in non-Māori, after taking into account the different age structures of these two populations. This report gives rate ratios and their 95 percent CIs. In this profile, if the CI of the rate ratio does not include the number 1, the ratio is said to be statistically significant. Differences presented in this profile in **bold** are statistically significant.





## Demography data

Indicators on population demography and projections use the estimated resident population (ERP) and projections provided by StatsNZ for the health sector, from a 2018 base. The ERP is an estimate designed to adjust for the undercount for various groups in the census response rate, people temporarily overseas or elsewhere in NZ from their usual residence on census night, and key population changes (births, deaths, mobility) since the 2018 census.

In the estimates and projections prioritised ethnicity was used to identify Māori individuals (any person who identified Māori as any of their ethnic groups in the base census data on which the estimates and projections are built) and non-Māori included people who had at least one valid ethnic response, none of which was/were Māori.

## The Census of Population and Dwellings

Indicators using data from the 2018 Census of Population and Dwellings are derived from the census usually resident (UR) population (residents of an area living in the area on census night and people living elsewhere in Aotearoa from their usual residence on census night). Data used in this report were sourced from the publicly available UR data provided on the StatsNZ website, and for some indicators, from a custom data extract produced by StatsNZ for the previous Northern Region DHBs (which included data for the whole of Aotearoa).

StatsNZ apply confidentiality rules to census data to protect the confidentiality of individuals, families, households, dwellings, and undertakings in 2018 Census data. Counts are calculated using a method called fixed random rounding to base 3, and suppression of 'sensitive' counts less than six, where tables report multiple geographic variables and/or small populations. This means individual figures may not always sum to stated totals<sup>10</sup>.

Due to changes in the 2018 Census methodology and lower than anticipated response rates, as described further below, time series data for census variables should be interpreted with care.

Most census variables in the Wai Ora chapter have been age-standardised to the 2001 Māori population. The unpaid work variables were not able to be age-standardised for this report, and crude rates are presented. In this case, caution should be taken when comparing Māori with non-Māori results.

The 2018 Census was the first 'digital-first' census undertaken in Aotearoa, as a part of modernising and streamlining the census process. Unfortunately, the 2018 Census had a very low response rate overall, and especially for Māori and Pacific peoples - approximately 68% for Māori and 65% for Pacific peoples. Adjustments were made to improve the quality of the data (for example, using data from previous censuses and other administrative datasets), and the overall quality of the 2018 Census data is now considered moderate/good. However, the adjustments do not affect the Māori and non-Māori population in the same way. For example, in the 2018 Census, 29% or more of the ethnicity data for Māori came from other sources. This means that the ethnicity data in the 2018 census for Māori is not of the same quality as the data for the NZ European ethnic population, for example, which had only 11.5% of their responses from these other sources.

Further details on the adjustment methods used in the 2018 Census can be found online via Stats NZ<sup>11</sup>. In summary, the core self-response data from the 2013 Census was combined with administrative data (e.g. from the education or health system), and in some situations data derived by statistical models to predict what the missing data would have been (called imputation). In addition to different levels of self-

---

<sup>10</sup> More info on Census confidentiality rules: [Applying confidentiality rules to 2018 Census data and summary of changes since 2013 | Stats NZ](#)

<sup>11</sup> <https://www.stats.govt.nz/assets/Uploads/Reports/Final-report-of-the-2018-Census-External-Data-Quality-Panel/Downloads/Final-report-of-the-2018-Census-External-Data-Quality-Panel-corrected.pdf>

response, people identified as living in NZ at the time of the census have different levels of information from other sources available to StatsNZ to draw on.

However, on the other hand, the census is a key source for population level data about factors that are important for health, such as income, employment, and housing. StatsNZ has provided quality ratings for the 2018 Census data to help users determine how to interpret the data. Along with StatsNZ's own quality ratings, they also engaged an External Data Quality Panel which included Māori population experts, who provided their assessment of the census data quality. The table below shows the ratings of both for the data variables used in this report. The overall message from these ratings is that the data can provide insights into the situation for Māori whānau, but it should be seen as indicative, rather than precise.

**Table 34 - Quality ratings 2018 Census variables included in this report**

Variable name	StatsNZ quality rating	External Data Quality Panel quality rating	Notes
<a href="#">Census usually resident population count</a>	Very high	Very high	
<a href="#">Ethnicity</a>	High	Moderate	
<a href="#">Number of bedrooms</a>	High	High	Number of bedrooms is used to help derive estimates of household crowding. There were over 300,000 people who could not be placed into households in the 2018 data. This means the number of people who lived in a crowded house may be undercounted.
<a href="#">Number of rooms</a>	Moderate	Poor	
<a href="#">Housing quality: dwelling dampness and mould indicators</a>	Moderate	Moderate	This is a self-evaluated assessment of whether the home has mould that is larger than an A4 sheet of paper (in total).
<a href="#">Main types of heating and fuel types used to heat dwellings</a>	Moderate	Moderate	This question was first introduced in the 2018 Census. Each type of heating reported was recorded once only.
<a href="#">Tenure of household</a>	Moderate	Moderate	
<a href="#">Access to telecommunication systems</a>	Moderate	Moderate	The online data collection methodology of the 2018 Census may have affected this variable. The proportion of households with no access to telecommunications was lower than expected. The proportion of households with access to a telephone was higher than expected. This data provides information on access to telecommunication systems at the household level. It does not show whether a particular household member has access to those amenities. In some cases, not every member of a household has equal access to particular telecommunication systems.
<a href="#">Number of motor vehicles</a>	Moderate	Moderate	
<a href="#">Industry</a>	High	High	Industry is the type of activity undertaken by the organisation or business where people work.
<a href="#">Occupation</a>	Moderate	Poor	An occupation is a set of jobs that require the performance of similar or identical sets of tasks. Occupations are organised based on skills, using the ANZSCO classification. The significant use of imputation may have inflated



Variable name	StatsNZ quality rating	External Data Quality Panel quality rating	Notes
			the total number of respondents in all categories.
<a href="#">Qualifications: highest qualification</a>	Moderate	Moderate/poor	
<a href="#">Total personal income</a>	High	High	Total personal income received is the total before-tax income of a person in the 12 months ended 31 March 2018. The information is collected as income bands rather than in actual dollars. This includes all possible sources of income.
<a href="#">Status in employment</a>	High	Moderate	Employment is described as full-time (30 hours or more / week) or part-time (< 30 hours per week). A person not employed is described as either 'unemployed' or 'not in the labour force'. Not in the labour force means not employed and not actively seeking work or not available for work
<a href="#">Unpaid activities</a>	Poor	Not applicable	Because of the low quality ratings, Stats NZ recommend very careful use of this data particularly for Māori and Pacific peoples and at small geographies. No alternative data source or imputation was available to replace missing responses.

## Geographical alignment between IMPB and DHB areas

This report has endeavored to report data specific to each IMPB health planning area and has used several slightly different methods to do this in different chapters of the report.

For population estimates, and Te Kupenga survey data, the population for an IMPB has been calculated using geographies (SA2 areas or Territorial Authority/Local Boards) that are smaller than the previous DHB districts, to be able to better align with the IMPB health planning areas. This means the Te Taura Ora o Waiariki and Tūwharetoa IMPBs have been able to be split out separately, and Ōtāhuhu has been included as part of Ngāa Pou Hauora o Taamaki Makaurau, rather than Te Taumata Hauora o Te Kahu o Taonui (historically Ōtāhuhu was part of Auckland DHB rather than Counties Manukau DHB, so the Auckland Council Local Board Māngere-Ōtāhuhu spanned the boundary between the DHBs)<sup>12</sup>. In some cases, for example at the Nelson-Marlborough/Te Tauraki border, the IMPB health planning area did not align completely with SA2 areas.

There may be some variation between the IMPB population estimates presented here compared to estimation using data from the previous DHB. This is due to there being a higher level of uncertainty around the SA2 population estimates and they will not always sum to exactly the same population by age, sex and ethnicity as the district population estimates.

For other measures, including mortality data, NZDep2018 and PHO enrolment, the IMPB population has been calculated using the sum of the main DHBs it contains. So, for example IMPB mortality data for Te Taumata Hauora o Te Kahu o Taonui will include all of Northland, Auckland and Waitematā DHBs, even though that includes communities such as Ōtāhuhu which are not part of the IMPB.

<sup>12</sup> Ōtāhuhu has a population of approximately 16,000 people, the majority of whom identify as Pacific and Asian (Indian). The area is classified as NZDep2018 deciles 9 and 10 – the most socio-economically challenged areas.

## Life expectancy

There are two parts to the life expectancy data provided in this report. There is a 'standard' calculation of life expectancy at birth for each IMPB, using mortality data from Manatū Hauora and population data from StatsNZ and presented as the gap between Māori and non-Māori. It uses five years of data to be able to provide ethnicity and male/female information.

There is also information on what conditions contribute to those life expectancy gaps, from an analysis completed by the Service Innovation and Improvement Directorate, Te Whatu Ora in May 2023 titled "The Contribution of Avoidable Mortality to the Life Expectancy Gap among the Māori and Pacific population. Regional Summary." This analysis compared Māori with the non-Māori, non-Pacific population, so that is why this comparator group is used for this section in this IMPB report.

The Arriaga method—a life table decomposition technique accounting for both age and cause of death—was used. The analyses and calculations are based on official death data from the Te Whatu Ora mortality collection, while population data are derived from official StatsNZ population estimates.

The analysis hinges on the principal underlying cause of death classification, which simplifies the reality that multiple factors can contribute to a single death. This may result in an underestimation of the effects of prevalent conditions contributing to, but not the final causes of death. As it requires cause of death information, these are often two years delayed to allow coronial processes to be completed. As such, the life expectancy figures here may not be the most recent available, but are the most recent that allows this type of gap analysis.

Causes of death are divided into 50 potentially avoidable conditions. Avoidable deaths encompass those deemed amenable to high-quality healthcare, preventable through public health interventions, or both. A comprehensive list of the conditions used in this analysis, along with their corresponding ICD codes, can be found in the Te Whatu Ora report. Most are limited to those under 75 years, except leukemia which is only considered avoidable under the age of 45 years and external injuries which includes all ages.

## Mortality data

Indicators on cause of death and mortality come from the national Mortality Collection. This classifies the underlying cause of death for all deaths registered in Aotearoa and all registered fetal deaths (stillbirths). Aotearoa is currently using the International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM) classification and the World Health Organization (WHO) ICD Rules and Guidelines for Mortality Coding. Mortality data are presented for Māori and non-Māori. In each data set a person was classified as Māori if any one of their recorded ethnicity was Māori. The year range of 2014 to 2018 was used as complete mortality data records were not available for 2019 and 2020 at the time of writing. The DHB of residence was determined from the domicile code attached to the death registration (so even if a person passed away at a tertiary hospital outside their home region, their death would be recorded as one in their home DHB). In tables presenting data on causes of death, data is not presented where there were fewer than five Māori events during the period represented by the data. There are several different methods of classifying causes of death as "potentially avoidable", "preventable" or "amenable". The ICD-10-AM codes used for potentially avoidable death tables in this report are listed in the next Appendix.

## Te Kupenga Survey

Te Kupenga 2018 is StatsNZ's survey of Māori wellbeing. A survey of almost 8,500 adults (aged 15 years and over) of Māori ethnicity and/or descent, Te Kupenga gives an overall picture of the social, cultural, and economic wellbeing of Māori people in Aotearoa.

Te Kupenga is a post-census survey. This means the survey sample was selected from people who identified as having Māori ethnicity and/or descent on their 2018 census form, so only those who completed the census were able to be selected. Given that a lower proportion of Māori people



completed the 2018 Census than planned or anticipated, StatsNZ investigated the potential impact this may have had on the Te Kupenga sample. They found some bias in the sample frame (the group of people who could have been selected to participate) compared with the total Māori population. However, this bias was small, and they were able to remove most of the effect of the bias through the statistical weighting process. See StatsNZ website for more information on this<sup>13</sup>.

In this IMPB profile, all estimates of numbers, percentages, and confidence intervals for data presented from Te Kupenga were calculated by StatsNZ and provided in a customised extract. Estimates of counts were rounded to the nearest thousand. Estimates of proportions were rounded to 1 decimal point. All percentages were calculated from unrounded data. If the weighted count (estimate) was less than 1000 then the data was suppressed. Further details on the survey measures are available in the Te Kupenga 2018 report and can be found at the StatsNZ website<sup>14</sup>.

## Primary care enrolment

Primary care enrolment data is based on the National Enrolment System using the National Health Index (NHI). Ethnicity data in the NHI is known to undercount Māori by 15.7% compared to the ethnicity people report in the census, with higher undercounts for Māori men (Harris, Paine et al. 2022). The denominator for calculating the percentage of people enrolled in a PHO is the estimated resident population, which uses ethnicity based on the 2018 Census. The poor ethnicity data quality in the NHI makes it difficult to assess how many Māori are actually missing out on being enrolled with primary health care, and how many are actually enrolled but misclassified with a non-Māori ethnicity. It is likely that both of these factors make a contribution to the inequity in primary care enrolment data. Primary care enrolment data presented in this report are not age-standardised. In this case, caution should be taken when comparing Māori with non-Māori results. Crude rates make comparisons difficult, because they do not take into account different age distributions in each of the populations.

## NZ Index of Deprivation 2018

NZDep2018 is an area-based measure of relative socio-economic deprivation. It is based on nine variables from the 2018 Census which cover eight different dimensions of socio-economic hardship. These variables relate to home internet access, receipt of welfare benefits, household income, employment, qualifications, home ownership, family structure, household crowding and housing quality. NZDep2018 gives a deprivation score for small area geographies (i.e. meshblocks, and SA1s) (Atkinson, Salmond et al. 2019). These scores are aggregated into deciles (1-10, 1 being areas with the least socio-economic challenge and 10 being those the most disadvantage). This report uses NZDep2018 information supplied by StatsNZ for the health sector, applying the scores to estimated resident populations to estimate the number of people living in each decile.

## Geographic Classification of Health

The Geographic Classification for Health (GCH) is a rural-urban geographic classification designed to allow Aotearoa's health researchers and policy makers to accurately monitor rural-urban variations in health outcomes. The GCH classifies all areas of Aotearoa as rural or urban according to their proximity to larger urban areas with respect to health (Whitehead, Davie et al. 2021).

The GCH is composed of five categories, two urban and three rural, that reflect degrees of reducing urban influence and increasing rurality. 'Urban 1' to 'Urban 2' are based on population size, and 'Rural 1' to 'Rural 3' based on drive time to their closest major, large, medium, and small urban areas. The population and drive time thresholds used in the GCH were developed from a health perspective and tested in partnership with a wide range of rural health stakeholders.

---

<sup>13</sup> <https://www.stats.govt.nz/methods/assessment-of-potential-bias-in-the-te-kupenga-sample-frame-2018>

<sup>14</sup> <https://www.stats.govt.nz/information-releases/te-kupenga-2018-final-english/>

## Appendix 3: ICD-10-AM Codes

The International Classification of Diseases (ICD-10-AM) codes used for the calculation of potentially avoidable mortality are presented below.

**Table 35 - ICD-10-AM codes used for potentially avoidable mortality**

Condition	ICD-10-AM Code
Tuberculosis	A15-A19, B90
Selected invasive bacterial and protozoal infection	A38-A41, A46, A481, B50-B54, G00, G03, J020, J13-J15, J18, L03
Hepatitis	B15-B19
HIV/AIDS	B20-B24
Lip, oral cavity and pharynx cancers	C00-C14
Oesophageal cancer	C15
Stomach cancer	C16
Colorectal cancer	C18-C21
Liver cancer	C22
Lung cancer	C33-C34
Melanoma of skin	C43
Non-melanotic skin cancer	C44
Breast cancer (female only)	C50
Cervical cancer	C53
Uterine cancer	C54-C55
Bladder cancer	C67
Thyroid cancer	C73
Hodgkin's disease	C81
Leukaemia	C910-C911
Benign tumours	D10-D36
Thyroid disorders	E00-E07
Diabetes	E10-E14
Alcohol-related diseases	F10, I426, K292, K70
Illicit drug use disorders	F11-F16, F18-F19
Epilepsy	G40-G41
Birth defects	H311, P00, P04, Q00-Q99
Rheumatic and other valvular heart disease	I01-I09
Hypertensive heart disease	I10-I15
Nephritis and nephrosis	I12-I13, N00-N09, N17-N19



Condition	ICD-10-AM Code
Ischaemic heart disease	I20-I25
Deep vein thrombosis with pulmonary embolism	I26, I802
Cerebrovascular diseases	I60-I69
Aortic aneurysm	I71
Viral pneumonia and influenza	J10, J12, J171, J21
COPD	J40-J44
Asthma	J45-J46
Peptic ulcer disease	K25-K28
Acute abdomen, appendicitis, intestinal obstruction, cholecystitis/lithiasis, pancreatitis, hernia	K35-K38, K40-K46, K80-K83, K85-K86, K915
Chronic liver disease (excluding alcohol-related disease)	K73-K74
Obstructive uropathy and prostatic hyperplasia	N13, N20-N21, N35, N40, N991
Complications of perinatal period	P03, P05-P95
Motor vehicle accidents	V01-V04, V06, V09-V80, V87, V89, V99
Falls	W00-W19
Drownings	W65-W74
Fires, burns	X00-X09
Accidental poisonings	X40-X49
Suicide and self-inflicted injuries	X60-X84, Y870
Violence	X85-Y09, Y871

## Appendix 4: Māori 2001 Population

The table below shows the 2001 Māori population standard used for age-standardisation in this report, including the weightings applied to each age-group.

**Table 36 - 2001 Census total Māori population**

Age group (years)	2001 Census total Māori population	Weighting
0-4	67,404	12.81
5-9	66,186	12.58
10-14	62,838	11.94
15-19	49,587	9.42
20-24	42,153	8.01
25-29	40,218	7.64
30-34	39,231	7.46
35-39	38,412	7.30
40-44	32,832	6.24
45-49	25,101	4.77
50-54	19,335	3.67
55-59	13,740	2.61
60-64	11,424	2.17
65-69	8043	1.53
70-74	5046	0.96
75-79	2736	0.52
80-84	1251	0.24
85+	699	0.13



---

# Te rārangi tohutoro

## References

Proactively Released

## Te rārangi tohutoro - References

- Atkinson, J., C. Salmond and P. Crampton (2019). "NZDep2018 Index of Deprivation, interim research report." University of Otago: Wellington, New Zealand **5541**: 1-65.
- Cormack D and McLeod M (2010). Improving and maintaining quality in ethnicity data collections in the health and disability sector. Wellington, Te Rōpū Rangahau Hauora a Eru Pōmare.
- Curtis, E. (2016). "Indigenous positioning in health research: the importance of Kaupapa Māori theory-informed practice." AlterNative: An International Journal of Indigenous Peoples **12**(4): 396-410.
- Curtis E, Loring B, Harris R, McLeod M, Mills C, Scott N and Reid P (2022). Māori Health Priorities. A report commissioned by the interim Māori Health Authority (iMHA) to inform development of the interim New Zealand Health Plan (iNZHP). Auckland, Te Aka Whai Ora.
- Curtis, E., R. Jones, E. Willing, A. Anderson, S.-J. Paine, S. Herbert, B. Loring, G. Dalgic and P. Reid (2023). "Indigenous adaptation of a model for understanding the determinants of ethnic health inequities." Discover Social Science and Health **3**(1): 10.
- Harris, R., S. J. Paine, J. Atkinson, B. Robson, P. T. King, J. Randle, A. Mizdrak and M. McLeod (2022). "We still don't count: the under-counting and under-representation of Māori in health and disability sector data." N Z Med J **135**(1567): 54-78.
- Ministry of Health. (2017). HISO 10001:2017 Ethnicity Data Protocols. Wellington, Ministry of Health.
- Simmonds, S., B. Robson, F. Cram and G. Purdie (2008). "Kaupapa Māori Epidemiology." Australasian Epidemiologist, **15**(1): 2-6.
- Whitehead, J., G. Davie, B. de Graaf, S. Crengle, M. Smith, R. Lawrenson, D. Fearnley, N. Farrell and G. Nixon (2021). "The Geographic Classification for Health." Methodology and classification report.



Proactively Released